

1. STACK EMISSION MONITORING RESULTS
(For the month of Jan- 2014)

Sr. No.	Stacks Attached To	Particulate matter (mg/Nm ³)						
		Weekly				Min. Value	Max. Value	Avg. Value
		I	II	III	IV			
A	Glass Bag House	21.2	37.9	23.4	16.6	16.6	37.9	24.8
B	Cooler ESP	48.2	39.4	42.1	50.0	39.4	50.0	44.9
C	Cement Mill ESP	38.8	42.6	*	*	38.8	42.6	40.7
D	Coal Mill B/F	45.6	40.8	38.1	36.5	36.5	45.6	40.3
E	Main Crusher B/F	41.7	39.4	34.9	45.0	34.9	45.0	40.3

* Unit was under maintenance

2. AMBIENT AIR QUALITY MONITORING RESULTS

2.(a) Monthly Average of PM2.5,PM10, SO2& NO2 of Manual Stations for the Month of Jan- 2014

S.No.	STATIONS	PARAMETERS											
		PM2.5 (µg/M ³)			PM10 (µg/M ³)			SO2 (µg/M ³)			NO2 (µg/M ³)		
		Min.	Max.	Average	Min.	Max.	Average	Min.	Max.	Average	Min.	Max.	Average
1	KHATA	17.85	39.32	27.23	21.22	71.39	40.59	4	6	4.4	8	12	8.9
2	DARLAGHAT	23.47	48.31	35.36	16.88	78.85	41.38	4	5	4.5	6	8	6.6
3	BAHAN	22.16	33.77	27.17	25.33	51.50	36.88	3	5	3.4	7	9	7.4
4	MINES DORMITORY	16.88	41.67	32.98	37.99	74.21	59.69	3	5	4.6	10	11	8.9
5	RATHOH	16.88	37.45	28.10	37.11	51.50	43.15	4	6	4.8	7	10	9.4
6	MANGO	10.98	21.74	15.94	25.33	54.17	39.87	4	5	4.2	7	10	8.8
7	CHANDI*	12.66	33.86	21.83	25.33	55.66	40.19	4	5	4.2	7	8	7.5
8	PACHEUR	20.83	48.91	30.59	19.05	75.63	44.70	3	5	4.30	5	8	6.5
9	RAURI	13.04	47.83	30.87	30.43	68.18	49.16	5	6	5.6	8	9	8.6
10	BATEDH	25.53	46.67	39.98	25	62.50	46.89	3	6	4.0	7	15	10.7

***Monitoring was not conducted at Kashlog village due to Villagers opposition.**



2.(b) Monthly Average of Lead, Nickel, Arsenic & CO of Manual Stations for the Month of Jan-2014

S.No.	STATIONS	Lead, $\mu\text{g}/\text{m}^3$	Nickel, ng/m^3	Arsenic, ng/m^3	CO, mg/m^3
1	KHATA	N.D.	N.D.	N.D.	1.3
2	DARLAGHAT	N.D.	N.D.	N.D.	1.5
3	BAHAN	N.D.	N.D.	N.D.	1.6
4	MINES DORMITORY	N.D.	N.D.	N.D.	1.1
5	RATHOH	N.D.	N.D.	N.D.	1.1
6	MANGOO	N.D.	N.D.	N.D.	1.1
7	CHANDI	N.D.	N.D.	N.D.	1.4
8	PACHEUR	N.D.	N.D.	N.D.	1.4
9	RAURI	N.D.	N.D.	N.D.	1.3
10	BATEDH	N.D.	N.D.	N.D.	1.4

**3. WATER QUALITY ANALYSIS FOR GYANA KHAD
(For the Month of Jan-2014)**

FREQUENCY	SAMPLING POINTS	PARAMTERS			
		pH	TSS (mg/Lit.)	TDS (mg/Lit.)	DO (mg/Lit.)
FIRST FORTNIGHT	1	7.2	42.3	324	4.9
	2	7.7	56.8	356	3.7
	3	7.5	48.0	348	4.6
	4	7.4	46.7	336.8	5.0
SECOND FORTNIGHT	1	7.4	40.2	298	5.3
	2	7.6	60.0	345	4.1
	3	7.3	51.4	330	5.7
	4	7.3	48	318	5.6

Sampling Points

1. 500 mts. upstream of First Nallah before joining Gyana Khad.
2. 500 mts. upstream of Second Nallah before joining Gyana Khad.
3. V- Notch Installed In Gyana Khad (SE side of ML Area)
4. 500 mts. downstream from V- notch of Gyana Khad.



4. SEWAGE WATER RECLAMATION PLANT
(Analysis Report – JAN--2014)
(Monthly Average)

Sr. No.	PARAMETERS	TREATED WATER RESULTS			STIPULATED LIMIT BY HPJAN-14 & PCB
		Min.	Max.	Avg.	
1.	pH	7.2	7.6	7.46	-
2.	BOD (5 Days at 20 Deg. C)	12	14	13	30 mg/Lit.
3.	Total Suspended Solids	11	20	14.83	100 mg/Lit.

5. Monthly Average of Ambient Noise Monitoring Report-Jan-14

Station Name	Noise Level in dB(A)									
	1st Week		2nd Week		3rd Week		4th Week		Monthly Average	
	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Colony Area	49.5	43.2	48.5	41.2	47.8	41.7	53.6	41.8	49.9	42.0
Inside Cooperative Stores	60.4	46.7	55.8	42.0	60.2	53.7	62.6	41.9	59.8	46.1
Petrol Pump	61.5	53.5	60.5	47.2	63.4	49.2	58.4	43.7	61.0	48.4
Main Gate (Near CSO's Office)	62.5	56.9	59.4	56.5	62.1	58.7	61.8	58.8	61.5	57.7
Inside CCR	58.2	56.7	58.8	58.1	61.5	56.2	60.8	59.8	59.8	57.7
Inside Mines Office	54.1	41.8	56.5	40.8	55.2	41.6	52.0	40.9	54.5	41.3
Kashlog Village	51.2	42.9	54.9	43.2	48.9	41.0	53.5	41.7	52.1	42.2
Magazine Section	56.6	40.8	52.5	41.0	51.7	43.5	51.8	42.2	53.2	41.9
Mines Reclaimed Area	51.5	40.2	53.7	42.8	52.3	43.1	50.9	43.1	52.1	42.3
Rathoh Village	52.2	42.5	54.1	43.1	53.7	43.0	51.6	42.4	52.9	42.8



Serve to Conserve

