



Ref: ACL/BYT/ENV/2024-2025/59

Date 22.05.2024

Regional Officer,
Integrated Regional office,
Ministry of Environment, Forest & Climate Change, Aranya Bhawan, North Block
Sector-19, Naya Raipur, Atal Nagar, Chhattisgarh 492002.

Sub: Submission of Half Yearly Environment Clearance Compliance Report of EC Letter Granted for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village: Rawan Tehsil: Bhatapara District: Balodabazar - Bhatapara Chhattisgarh for the period **October 2023 to March 2024** for Cement Plant Complex of Ambuja Cements Ltd (Unit-Bhatapara), Chhattisgarh.

Ref:EC Identification No - EC22A009CG158733 and Letter No : J-11011/355/2005-IA.II(I)

Dear Sir,

Please find the enclosed herewith the six-monthly Environment Clearance compliance report of EC Letter Granted for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village: Rawan Tehsil: Bhatapara District: Balodabazar - Bhatapara Chhattisgarh for the period **October 2023 to March 2024** for Cement Plant Complex of Ambuja Cements Ltd (Unit-Bhatapara),

This is for your kind information and record.

Thanking you.

Yours Sincerely,
For Ambuja Cements Limited
(Unit: Bhatapara)

Kaushal

(Kaushal Kumar Mishra)
Chief Operation Manager



Encl.: Six Monthly Environment Clearance compliance report along with Environment Monitoring report.

- Cc :** 1. CPCB, Zonal Office, Vithal Market, Paryavaran Parisar , E-5 Arera Colony Bhopal (MP) -462016
2.The M.S., CECB, Paryavas Bhavan, North Block Sector-19, Atal Nagar (C.G.) 490099.
3. The RO, CECB, Commercial Complex, Chhattisgarh Housing Board Colony, Kabir Nagar Raipur (C.G.)

Ambuja Cements Limited
(Unit - Bhatapara)
P.O. - Rawan, Tehsil : Balodabazar,
District : Balodabazar-Bhatapara - 493 331
Chhattisgarh, India

CIN : L26942GJ1981PLC004717

Registered Office :
Adani Corporate House,
Shantigram, S.G. Highway,
Khodiyar, Ahmedabad- 382421
Gujarat, India
Ph + 91 79-2555 5555
www.ambujacement.com

**ENVIRONMENT CLEARANCE HALF YEARLY COMPLIANCE
REPORT FOR THE PERIOD
(October 2023 – March 2024)**

OF



**M/S AMBUJA CEMENTS LTD.
(UNIT-BHATAPARA)**

**P.O.: RAWAN, DIST.: BALODA BAZAR - BHATAPARA
CHHATTISGARH - 493331**

EC letter no. J-11011/355/2005-IA.II(I) Dated 31st Oct. 2022

Compliance of the conditions stipulated in the environmental clearance accorded by MOEFCC for production enhancement from Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA), Cement (3.5 to 6.5 MTPA) and WHRS (18 to 43 MW) by installation of new line -III by at M/s. Ambuja Cements Limited, located at Village: Rawan, Tehsil: Bhatapara, District: Balodabazar- Bhatapara, Chhattisgarh – Grant of Environmental Clearance regarding.

Ref. No, J-11011/355/2005-IA.II(I) Dated 31st Oct.2022

Sr.No.	EC Condition	Compliance Status as on 22 May 2024
A. Specific Conditions		
(i)	The PP shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMPin respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	The plant Line 3 is in erection stage the said condition will be complied
(iii)	Mahanadi Canal, Kukurdih Talav, Kukridih - Dharsharma Canal, Banjari Nala, Jamuniya Nadi, Khorsi Nala and Chitawar Nala exists within the study area of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.	The plant Line 3 is in erection stage the said condition will be complied.
(iv)	As committed, PP shall adopt Rawan, Pausari, Bharseli, Maldi & Mopar villages and develop them into model villages. PP shall implement the action plan submitted for the development of the villages. 7544 m ³ /day water will be required for the existing and proposed expansion; which will be obtained from Ground Water and Mine Pits. Necessary permission shall be obtained from the Competent Authority in this regard. PP shall explore the possibility of shifting to alternate source of water to reduce dependency on groundwater.	The plant Line 3 is in erection stage the said condition will be complied.
(vi)	Three tier Green Belt shall be developed in a time	The plant Line 3 is in erection stage the said

	frame of one year covering at least 33% of the total project area with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. Gap filling shall be undertaken for the existing greenbelt to achieve target of plantation of 2500 saplings per ha.	condition will be complied.
(vii)	Mitigation measures to minimize the impact of high noise levels generated due to the conveyor belt passing near the Village Murhipar shall be strictly implemented as committed which shall specifically include six row shelter belt of trees (~500 m) to be planted near the Village Murhipar (particularly noise-absorbing species) and other technological measures.	The plant Line 3 is in erection stage the said condition will be complied.
(viii)	The Action Plan for the Panch-tatva (5 commitments) including fossil fuel reduction road map and net-zero carbon emissions shall be strictly implemented.	The action plant for Panch-tatva has been made. We have kept 10 % TSR in the financial year 2023-2024 Further we will increase the Alternate Fuel & Raw material (AFR) in the Kiln Line 3. The plant Line 3 is in erection stage the said condition will be complied.
(ix)	The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. MSW waste shall be treated in digester and recovered gas shall be used in the canteen.	Cement plant having no effluent water discharge Hence the same is not applicable. However, the ETP with Zero discharge concept is being followed in Captive Power Plant. The Domestic effluent is being /will be treated in STP. The MSW waste of plant and colony is being /will be used in Kiln for coprocessing.
(x)	The company shall also undertake rainwater harvesting measures as per the plan submitted in the EIA/EMP report and reduce water dependence from the outside source.	The plant Line 3 is in erection stage the said condition will be complied. Also, we are in the process for installing further new roof top water structure in the plant and colony before end of March 2025.
(xi)	All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run -off material.	The plant Line 3 is in erection stage the said condition will be complied
(xii)	Slip roads shall be provided at the gates and along crossings on main roads.	Being Complied However the Plant Line 3 is in erection stage the said condition will be complied.
(xiii)	All internal and connecting road to the Highway shall be black topped/ concreted with suitable load in term of Million Standard Axle (MSA) as per IRC guidelines.	Being Complied However the Plant Line 3 is in erection stage the said condition will be complied.
(xiv)	All internal and connecting road to the Highway shall	Being Complied However the Plant Line 3 is in

	be black topped/ concreted with suitable load in term of Million Standard Axle (MSA) as per IRC guidelines.	erection stage the said condition will be complied.
(xv)	Performance monitoring of pollution control equipment shall be taken up yearly and compliance status in this regard shall be reported to the concerned Regional Office of the MoEF&CC.	The Performance monitoring of pollution control being done and regularly report is being submitted to CECB/MoEF&CC office.
(xvi)	Dioxin and furans shall be monitored twice a year during co-processing of hazardous waste and report shall be submitted to the Regional Office of the MoEF&CC.	The plant Line 3 is in erection stage the said condition will be complied.
(xvii)	Particulate matter emissions from all the stacks shall be less than 30 mg/Nm ³ .	We are already adhering the Particulate matter Norms less than 30 mg/Nm ³ . The plant Line 3 is in erection stage the said condition will be complied.
(xviii)	DeSOx system shall be provided dry type. NOx level shall be maintained below 600 mg/Nm ³ by using best available technology.	The plant Line 3 is in erection stage the said condition will be complied.
(xix)	Petcoke dosing shall be controlled automatically to control SO ₂ emission from chimney within the prescribed limits.	The plant Line 3 is in erection stage the said condition will be complied.
(xx)	PP shall identify the Source of fluoride emissions and action plan to mitigate the same shall be implemented.	The plant Line 3 is in erection stage the said condition will be complied.
(xxi)	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.	Being Complied
(xxii)	All the recommendations made in the risk assessment report shall be implemented and compliance status in this regard shall be furnished to the Regional Office of the MoEF&CC along with the six- monthly compliance report.	The plant Line 3 is in erection stage the said condition will be complied.
(xxiii)	All the commitments made to the public during the Public Hearing/Public Consultation shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.	The plant Line 3 is in erection stage the said condition will be complied.
(xxiv)	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by	The plant Line 3 is in erection stage the said condition will be complied.

	the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/ . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six- monthly compliance report being submitted by the project proponents.	
(xxv)	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.	The plant Line 3 is in erection stage the said condition will be complied.
(xxvi)	The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	The plant Line 3 is in erection stage the said condition will be complied.
A. General Conditions		
(i) Statutory compliance:		
(i)	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.	The plant Line 3 is in erection stage the said condition will be complied.

(ii) Air quality monitoring and preservation		
(i)	The project proponent shall install 24x7 continuous emission monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and 10 th May, 2016 (in case of Co-processing Cement); as amended from time to time; and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	The plant Line 3 is in erection stage the said condition will be complied.
(iii)	The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120°each), covering upwind and downwind directions.	The plant Line 3 is in erection stage the said condition will be complied.
(iv)	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	The plant Line 3 is in erection stage the said condition will be complied.
(v)	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	The plant Line 3 is in erection stage the said condition will be complied.
(vi)	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	The plant Line 3 is in erection stage the said condition will be complied.
(vii)	Pollution control system in the cement plant shall be provided as per the CREP Guidelines ofCPCB.	The plant Line 3 is in erection stage the said condition will be complied.

(viii)	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	The plant Line 3 is in erection stage the said condition will be complied.
(ix)	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	The plant Line 3 is in erection stage the said condition will be complied.
(x)	Provide wind shelter fence and chemical spraying on the raw material stock piles; and	The plant Line 3 is in erection stage the said condition will be complied.
(xi)	Provide Low NOX burners as primary measures and SCR /NSCR technologies as secondary measure to control NOX emissions.	The plant Line 3 is in erection stage the said condition will be complied.
(xii)	Have separate truck parking area and monitor vehicular emissions at regular interval	The plant Line 3 is in erection stage the said condition will be complied.
(xiii)	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport	The plant Line 3 is in erection stage the said condition will be complied.
(xiv)	Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants.	The plant Line 3 is in erection stage the said condition will be complied.
(iii) Water quality monitoring and preservation		
(i)	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and 10 th May, 2016 (in case of Co-processing Cement) as amended from time to time; and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The project proponent shall regularly monitor ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	The plant Line 3 is in erection stage the said condition will be complied.
(iii)	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	The plant Line 3 is in erection stage the said condition will be complied.
(iv)	Garland drains and collection pits shall be provided for each stock - pile to arrest the run-off inthe event	The plant Line 3 is in erection stage the said condition will be complied.

	of heavy rains and to check the water pollution due to surface run off	
(v)	Water meters shall be provided at the inlet to all unit processes in the cement plant.	The plant Line 3 is in erection stage the said condition will be complied.
(vi)	The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.	The plant Line 3 is in erection stage the said condition will be complied.
(iv) Noise monitoring and prevention		
(i)	Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time	The plant Line 3 is in erection stage the said condition will be complied.
(v) Energy Conservation measures		
(i)	Waste heat recovery system shall be provided for kiln and cooler.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The project proponent makes efforts to achieve power consumption less than 65 units/ton for Portland Pozzolana Cement (PPC) and 85 units/ton for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.	The plant Line 3 is in erection stage the said condition will be complied.
(iii)	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly.	The plant Line 3 is in erection stage the said condition will be complied.
(iv)	Provide the project proponent for LED lights in their offices and residential areas	The plant Line 3 is in erection stage the said condition will be complied.
(vi) Waste management		
(i)	Used refractories shall be recycled as far as possible	The plant Line 3 is in erection stage the said condition will be complied.
(vii) Green Belt		
(i)	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration by trees in the plant premises	The plant Line 3 is in erection stage the said condition will be complied. We are already in the process to increase Renewal energy including solar power and WHRB Power for GHG reductions.
(ii)	Project proponent shall submit a study report within six months on De-carbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon offsetting strategies. Further, the report shall also contain time	The plant Line 3 is in erection stage the said condition will be complied.

	bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames.	
(viii) Public hearing and Human health issues		
(i)	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	The plant Line 3 is in erection stage the said condition will be complied.
(iii)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	The plant Line 3 is in erection stage the said condition will be complied.
(ix) Environment Management		
(i)	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	The plant Line 3 is in erection stage the said condition will be complied.
(ii)	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	The plant Line 3 is in erection stage the said condition will be complied. Also we have submitted the wild conservation Fund of Rs 86.50 Lakh for schedule 1 species of Cement plant and Maldi Mopar Limestone Mine to Distt Forest Balodabazar on dated 03.01.2024 as per approved Wild Conservation plan from CCF Chhattisgarh.

(iii)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization	Being complied
(X) Miscellaneous		
(i)	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently	Being done. The EC Letter communication published in hind and English newspaper within mentioned prescribed period. Copy of same is attached as Annexure 1 .
(ii)	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Being submitted. The copy of this compliance is attached as Annexure 2 .
(iii)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	The plant Line 3 is in erection stage the said condition will be complied
(iv)	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	The plant Line 3 is in erection stage the said condition will be complied
(v)	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	The plant Line 3 is in erection stage the said condition will be complied
(vi)	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	The plant Line 3 is in erection stage the said condition will be complied
(vii)	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation	The plant Line 3 is in erection stage the said condition will be complied

	by the project.	
(viii)	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	The plant Line 3 is in erection stage the said condition will be complied with in stipulated period.
(ix)	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.	The plant Line 3 is in erection stage the said condition will be complied with in stipulated period.
(x)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Being Noted and will be complied
(xi)	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Being Noted
(xii)	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Being Noted
(xiii)	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Being Noted
(xiv)	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Being Noted and will be complied.
(xv)	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Being Noted

टोक्यो ओलंपिक के कांस्य पदक ने भारतीय हॉकी का चेहरा बदला : अमित रोहिदास



व्यापार तहसीलदार रायपुर
जिला रायपुर छ.ग.
ईशहरा
पत्राचार क्रमांक ३
ग्राम पंचायत, प.उ.पं. ४८
तहसील न. विस्वा रायपुर छ.ग.
पत्राचार क्रमांक ३

एजेन्सी : भुवनेश्वर

भारतीय टीम के डिफेंडर अमित रोहिदास का मानना है कि गोस्वामी ओवरलैपिंग में मिले ऐतिहासिक कांस्य पदक ने भारतीय हॉकी का चेहरा बदलकर युवाओं को इस खेल में जाने के लिये प्रेरित किया है। रोहिदास ने कहा कि गांव के बच्चों को एम्बरार्पण

न्यायालय अतिरिक्त तहसीलदार राधपुर
के न्यायालय में मामला
मायने की श्रेणी:- राजस्व

विषय: न-6
दि. 10/01/2023 11:09:00AM
संख्या पत्र नं. 05602 (६)
प्रधानी का निवास अर्धक पक्का ईन्ट्रि अवेर,
लगावदार पक्का बसिनी हाउसिंग बन्धी सिट्टा
पोस्ट,प्रान्ता,
ईन्ट्रि
पर ट्राय करी साधार की बुनित
सिवा बाबा की कि. अर्धक ट्रेडर अर्ध सिवा बा. अ

सूचित किया जाता है कि केले की पत्तियाँ
होमोपैथी में अत्यधिक उपयोग होती हैं।
T-1 मर्त्य केले के पत्तों से बनाया जाता है।

[illegible]

मेसवर्न (ए॥) क्रिकेट के दिग्गज पूर्व केंद्रीय मोलर जयवर्दे ने आईसीसी टी२० विश्व कप के शीतलम में सबसे अधिक रन बराने के उपराने नोबॉल को तोड़ने के लिए स्वर भारतीय क्षेत्रीय टिस्ट काली

को धरार्ही दी। भारत के स्तर यद्यपि विगत कोलाहल बुधवार को आसिमी टी। वि। प्र. के इतिहास में सबसे लम्बा दर (1655) बनाने वाले खिलाड़ी बने। उन्होंने अपने आसिमी दूतों को किंग का एक वीडियो में कहा, 'विश्व ईद दूतों के लिए हो रहे हैं। हमारा कोई ऐसा था जो मेरा किंगको अपने बालों में और यह आप हैं। विगत, बर्बाद हो रहे, शास्त्र। आप हमेशा किंग बनाए रहें हैं।' फैंस असमियों के, क्लायन स्थानीय हैं। अच्छा किया दोस्त। विगत ने एंजिलेड में बांग्लादेश के खिलाफ टूर्नामेंट के अपने मल्लखर्ष में, 2, 12 मई के दौरान यह किंग ईदमिल किया और रोमांचक मुकामों में भारत ने 5 रनों से जीत दर्ज की थी। उन्होंने मैच में 44 गैटों में नाबाद 64 रन बनाए। उनकी पारी में 3 चौक और एक छक्का शामिल था। पारी के दौरान उल्ला स्टाफ ने 145.45 रत।

अनुजा सीमेंट्स लिमिटेड
(इकाई : मध्यम)
बंगलूरु प्लांट - प्लांट सॉलर इकोपावर
पिन : ५६०००५ - बंगलूरु, कर्नाटक - ५६०००५

[illegible]

पुनित डेज
पेता अमुजा पीमिट्टा रिमिट्टेज
(कर्मार्थ : श्वरागार)

FROM THE FRONT PAGE

'Those claiming to be kattar...

Governments came and went, thousands of crores of rupees were wasted in elections. That happened repeatedly. People then decided that only a stable Government can change the fortunes of the country and in 2014, people voted for a stable Government and we also left no stone unturned to fulfill people's aspirations," Modi said.

Small States have had a history of unstable Governments but now many of these States are looking at stable Governments and the BJP is being re-elected, he said, citing the example of Uttarakhand and Goa.

Earlier in the day, Modi, at

an election rally in Sundernagar stressed that every single vote cast on November 12 will define the development journey of the hill State for the next 25 years and urged the people to start a new tradition by voting back the BJP into power to ensure stability and progress.

With the State having the precedent of the incumbent being voted out, Modi said, whenever Congress came back, all development works came to a standstill.

Changing medicines frequently neither helps in curing the ailment nor benefits anyone, he said, while seeking another term for the ruling BJP.

Pakistan Army seeks legal...

Khan, the statement of DG ISPR read, "Pakistan Army prides itself for being an extremely professional and well-disciplined organisation with a robust and highly effective internal accountability system applicable across the board for unwar

interests through frivolous allegations, the institution will jealously safeguard its officers and soldiers no matter what. The baseless allegations hurled at the institution/officials today are highly regrettable and strongly condemned," added the

By-poll to one LS, 5 Assembly seats on Dec 5, counting on Dec 8: EC

NEW DELHI, Nov 5 (PTI)

BY-POLL to the Mainpuri Lok Sabha seat which fell vacant following the death of Samajwadi Party leader Mulayam Singh Yadav will be held on December 5 along with by-elections to five Assembly constituencies spread across as many States, the Election Commission said on Saturday. Yadav had passed away last month following prolonged illness. The Rampur Assembly seat in Uttar Pradesh which fell vacant following the disqualification of SP leader Mohammad Azam Khan is one of the five seats going for the by-polls. Khan, who was the Rampur MLA, was disqualified by the speaker after he

The Rampur Assembly seat in Uttar Pradesh which fell vacant following the disqualification of SP leader Mohammad Azam Khan is one of the five seats going for the by-polls.

was convicted and sentenced to three-year imprisonment in a case of hate speech registered against him in April 2019.

Sardarshahar Assembly constituency in Rajasthan's Churu district, another constituency that goes to the by-poll, fell vacant after the death of Congress MLA Bhanwar Lal Sharma on October 9. He was 77.

With his death, the Congress now has 107 out of the 200 MLAs in the Rajasthan Assembly. The

BJP has 71 MLA, Rashtriya Loktantrik Party three, CPI(M) and Bhartiya Tribal Party two each, Rashtriya Lok Dal (RLD) one and 13 are independent MLAs. One seat is vacant.

Padampur in Odisha, Kurhani in Bihar and Bhanupratappur in Chhattisgarh are the other Assembly seats where by-polls will be held. The counting of votes will be held on December 8 to coincide with the Gujarat and Himachal Pradesh ballot count.

Navy chief begins 5-day visit to Japan

NEW DELHI, Nov 5 (PTI)

NAVY Chief Admiral R Hari Kumar on Saturday began a five-day visit to Japan to attend

attending it.

The IFR will be reviewed by Japanese Prime Minister Fumio Kishida and include 40 ships and submarines from the navy.

2 LeT terrorists held in Sopore; arms, ammunition recovered

SOPORE, Nov 5 (ANI)

TWO Lashkar-e-Toiba terrorists were apprehended in Sopore on Friday evening, said Jammu and Kashmir

सेंट्रल बैंक ऑफ इंडिया  **Central Bank of India**
राजपुर : सेंट्रल बैंक ऑफ इंडिया, राजपुर
Branch : St. Vincent Pallotti College, Raipur

NOTICE

Dear Customers,

We wish to inform you that our St. Vincent Pallotti College branch was going to be merged with our existing Shankar Nagar Branch which is located at MIG 82, SECTOR 1, Ashok Tower Chowk, Shankar Nagar with effect from 11.11.2022. Now this merger is scheduled a day earlier on 10.11.2022. We request honorable customers of our St. Vincent Pallotti College branch to continue getting their banking services from our Shankar Nagar Branch from 10.11.2022 onwards. Inconvenience caused is deeply regretted to our honorable customers.

Regional Head

Ambuja Cements Limited
(Unit: Bhatapara)
Village+P.O.: Rawan, Tehsil: Balodabazar,
District: Balodabazar-Bhatapara, Chhattisgarh-493331

PUBLIC NOTICE

It is hereby informed that the Ministry of Environment, Forest and Climate Change (MoEFCC), has accorded Environmental Clearance for Expansion of Integrated Cement Plant (Clinker (4.8 to 8.1 MTPA), Cement (3.5 to 6.5 MTPA) and WHRS (18 to 43 MW) by installation of new line-III by M/s Ambuja Cements Limited, located at Village: Rawan, Tehsil: Bhatapara, District: Balodabazar-Bhatapara, Chhattisgarh.

A copy of EC Identification No. CC22A09CG158733 and File No. J-1101/055/2005-JA-II (I) issued date on 31/10/2022 is available with Chhattisgarh Environment Conservation Board, Raipur (C.G.) and the website (www.parivesh.nic.in) of the Ministry of Environment, Forest and Climate Change.

Unit Head
M/s Ambuja Cements Limited
(Unit: Bhatapara)

कार्यालय सहायक आयुक्त आबकारी, जिला-दुर्ग (छ.ग.)
पुनर्निविदा-विज्ञापित

क्रमांक/आब./निविदा/6238/2022 दुर्ग दिनांक : 03/11/2022

छत्तीसगढ़ स्टेट बेवरेजेस कॉर्पोरेशन लिमिटेड के गोदाम बाबत दुर्ग एवं भिलाई के शहरी क्षेत्र अथवा शहरी क्षेत्र के सीमा से 05 किमी की परिधि में विदेशी मदिरा के संग्रहण हेतु लगभग 50,000 वर्गफीट वास्तुश्रुतिक परिसर (10,000 वर्गफीट के 03 गोदाम, लगभग 2500 वर्गफीट में अधिकारी/कर्मचारियों के बैठने हेतु 4 कमरे जिनका क्षेत्रफल 12x15 वर्ग फीट हो, जिसमें शौचालय (महिला/पुरुष)

Ambuja Cement

Ref. No.: ACL /BYT/ENV/2022-2023/117

Date: 11.11.2022

To,

The Member Secretary,

Chhattisgarh Environment Conservation Board,
Paryavas Bhavan, North Block, Sector-19,
Nava Raipur, Atal Nagar, Raipur (C.G.) 492002

Subject: Submission of EC Letter Granted for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village : Rawan Teshil : Bhatapara District : Balodabazar - Bhatapara Chhattisgarh

Ref. : EC Identification No – EC22A009CG158733 and Letter No : J-11011/355/2005-IA.II(I)

Sir,

With reference to the aforesaid subject, please find enclosed EC Letter granted from MoEFCC for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village: Rawan Tehsil: Bhatapara District: Balodabazar - Bhatapara Chhattisgarh.

A copy of EC Identification No. EC22A009CG158733 and File No. J-11011/355/2005-IA.II (I) issued date on 31/10/2022 is available with Chhattisgarh Environment Conservation Board, Raipur (C.G.) and the website (www.parivesh.nic.in) of the "Ministry of Environment, Forest and Climate Change" and information of same is already published in newspaper in Hindi and English language . This is for your kind information and record please.

Thanking you & with regards,

For M/s. Ambuja Cements Ltd.**(Unit Bhatapara)****(Mahaveer Singh Bolia)****Chief Opeartions Manager**

Encl: as above

Cc:

1. Collector, District- Balodabazar – Bhatapara (C.G) for information please. Collector, District Balodabazar – Bhatapara (C.G) for information please.

AMBUJA CEMENTS LIMITED
(Unit - Bhatapara)

Vill & PO. : Rawan, Tehsil Balodabazar, Dist.: Baloda, Bazar-Bhatapara, Chhattisgarh-492003
Ph.: 07727-220010 to 15, Fax: 077277220004

CIN: L2694GJ1981PL004717, Website: www.ambujacement.com

Regd. Office: PO: Ambuja Nagar, Taluka: Kodinar, District: Gir Somnath,, Gujarat, 362715



Ambuja Cement

Ref. No.: ACL /BYT/ENV/2022-2023/117

Date: 11.11.2022

To,

The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryavas Bhavan, North Block, Sector-19,
Nava Raipur, Atal Nagar, Raipur (C.G.) 492002

Subject: Submission of EC Letter Granted for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village : Rawan Tehsil : Bhatapara District : Balodabazar - Bhatapara Chhattisgarh

Ref. : EC Identification No – EC22A009CG158733 and Letter No : J-11011/355/2005-IA.II(I)

Sir,


With reference to the aforesaid subject, please find enclosed EC Letter granted from MoEFCC for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village: Rawan Tehsil: Bhatapara District: Balodabazar - Bhatapara Chhattisgarh.

A copy of EC Identification No. EC22A009CG158733 and File No. J-11011/355/2005-IA.II (I) issued date on 31/10/2022 is available with Chhattisgarh Environment Conservation Board, Raipur (C.G.) and the website (www.parivesh.nic.in) of the "Ministry of Environment, Forest and Climate Change" and information of same is already published in newspaper in Hindi and English language . This is for your kind information and record please.

Thanking you & with regards,

For M/s. Ambuja Cements Ltd.

(Unit Bhatapara)


(Mahaveer Singh Bolia)
Chief Operations Manager

Encl: as above

Cc:

1. Collector, District- Balodabazar – Bhatapara (C.G) for information please. Collector, District- Balodabazar – Bhatapara (C.G) for information please.

AMBUJA CEMENTS LIMITED


(Unit - Bhatapara)

VIII & PO. : Rawan, Tehsil Balodabazar, Dist.: Baloda, Bazar-Bhatapara, Chhattisgarh- 493 331

Ph.: 07727-220010 to 15, Fax: 077277220004

CIN: L2694GJ1981PL004717, Website: www.ambujacement.com

Regd. Office: PO: Ambuja Nagar, Taluka: Kodinar, District: Gir Somnath., Gujarat, 362715


कार्यालय हेतु रखने
के लिए एक प्रत प्रार प्रेषित
सचिव
ग्राम पंचायत, नवान
ज. पंचायत बलोदाबाजार
15/11/2022

dc Bhadrपाली R

Ambuja Cement

Ref. No.: ACL /BYT/ENV/2022-2023/117

Date: 11.11.2022

To,

The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryavas Bhavan, North Block, Sector-19,
Nava Raipur, Atal Nagar, Raipur (C.G.) 492002

Subject: Submission of EC Letter Granted for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village : Rawan Tehsil : Bhatapara District : Balodabazar - Bhatapara Chhattisgarh

Ref. : EC Identification No – EC22A009CG158733 and Letter No : J-11011/355/2005-IA.II(I)


Sir,

With reference to the aforesaid subject, please find enclosed EC Letter granted from MoEFCC for Expansion of Integrated Cement Plant - Clinker (4.8 to 8.1 MTPA) and Cement (3.5 to 6.5 MTPA) and WHRS 43 MW by installation of new Line 3 by at M/s Ambuja Cements Ltd located at Village: Rawan Tehsil: Bhatapara District: Balodabazar - Bhatapara Chhattisgarh.

A copy of EC Identification No. EC22A009CG158733 and File No. J-11011/355/2005-IA.II (I) issued date on 31/10/2022 is available with Chhattisgarh Environment Conservation Board, Raipur (C.G.) and the website (www.parivash.nic.in) of the "Ministry of Environment, Forest and Climate Change" and information of same is already published in newspaper in Hindi and English language . This is for your kind information and record please.

Thanking you & with regards,

For M/s. Ambuja Cements Ltd.
(Unit Bhatapara)


(Mahaveer Singh Bolia)
Chief Opeartions Manager

Encl: as above

Cc:

1. Collector, District- Balodabazar – Bhatapara (C.G) for information please. Collector, District- Balodabazar – Bhatapara (C.G) for information please.


AMBUJA CEMENTS LIMITED
(Unit - Bhatapara)

Vill & PO. : Rawan, Tehsil Balodabazar, Dist.: Baloda, Bazar-Bhatapara, Chhattisgarh- 493 331

Ph.: 07727-220010 to 15, Fax: 077277220004

CIN: L2694GJ1981PL004717, Website: www.ambujacement.com

Regd. Office: PO: Ambuja Nagar, Taluka: Kodinar, District: Gir Somnath., Gujarat, 362715


शुभमसिंह शुक्ल
सरपंच
ग्राम पंचायत, भद्रपाली
विकास खण्ड - बलौदाबाजार
जि. बलौदाबाजार-भटपारा (छ.ग.)
15-11-2022

Ambuja Cement

2. Regional Officer Chhattisgarh Environment Conservation Board, Commercial Complex, Kabir Nagar Raipur (C.G)
3. General Manager DIC District- Balodabazar – Bhatapara (C.G) for favour of information please.
4. Chief Executive Officer Zila Panchyat Office District- Balodabazar – Bhatapara (C.G)
5. Office Sarpanch, Office Gram Panchyat Rawan , Teshil Balodabazar , District- Balodabazar – Bhatapara (C.G)
6. Office Sarpanch , Office Gram Panchyat Bhadrapali , Teshil Balodabazar , District- Balodabazar – Bhatapara (C.G)

AMBUJA CEMENTS LIMITED

(Unit - Bhatapara)

Vill & PO. : Rawan, Tehsil Balodabazar, Dist.: Baloda, Bazar-Bhatapara, Chhattisgarh- 493 331

Ph.: 07727-220010 to 15, Fax: 077277220004

CIN: L2694GJ1981PL004717, Website: www.ambujacement.com

Regd. Office: PO: Ambuja Nagar, Taluka: Kodinar, District: Gir Somnath,, Gujarat, 362715