

ACL/EMD/F-16/2023/ 2485

Dt.15.05.2023

The Director,
Ministry of Environment, Forest and Climate Change (MoEF&CC),
Regional Office, Western Region,
"Kendriya Paryavaran Bhavan"
Link Road No.3, Ravi Shankar Nagar,
Bhopal – 462016, (M.P.)

Sub.: Half Yearly Compliance Report of Environmental Clearance of **RKBA Limestone Mines.**

Ref.: Environmental Clearance Order No. J-11015/221/2008-IA.II (M) dated 04.03.11 & amendment on 05th August 2021.

Sir,

We are pleased to submit herewith half yearly compliance status report (i.e. for the period of **(October'2022 to March'2023)** of Environmental Clearance Order No. J11015/221/2008-IA. II(M) dated 04.03.2011 granted by MoEF&CC to **Rampara , Kukaras , Bhetali & Anandapara (RKBA) Limestone Mines**, located at village – Rampara, Kukras, Bhetali, Anandapara , Taluka – Veraval & Sutrapada, District – Gir Somnath (Gujarat).

This is for your information and record please.

Thanking you,

Yours Faithfully,
For **Ambuja Cements Ltd.**



Devendra Singh Chauhan
Head-Environment

Encl.: As above.

Copy to:

- 1) **The Central Pollution Control Board (CPCB)**, Privesh Bhavan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023 (Gujarat).
- 2) **The Member Secretary, Gujarat Pollution Control Board (GPCB)**, Paryavaran Bhavan, Sector-10-A, Gandhinagar-382010.
- 3) **The Regional Officer, Gujarat Pollution Control Board (GPCB)**, Opp. Saint Anne's Church Station Road, Junagadh.

MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS

Ministry of Environment & Forests

Regional Office (W), Bhopal

Monitoring Report

Part-I

DATA SHEET

01	Project type: River valley/ Mining/Industry/ Thermal/ Nuclear/ other specify	:	Mining Open Cast (Limestone)
02	Name of the project	:	Rampara-Kukras- Bhetali and Anandpara (RKBA) Limestone Mining Project
03	Clearance letter(s) / OM no. and date	:	J-11015/221/2008-IA.II (M), Dated 04.03.2011
04	Location	:	
	a) District(s)	:	Gir Somnath
	b) State(s)	:	Gujarat
	c) Latitude	:	20° 56' - 20° 58' N
	d) Longitude	:	70° 31' - 70° 34' E
05	Address for correspondence	:	
	a) Address of concerned Project Chief Engineer (with pin code & telephone / telex / fax numbers).	:	Sh. Devendra Singh Chauhan (Head - Environment) Ambuja Cements Ltd. PO Ambujanagar, Taluka : Kodinar, Pin- 362715 District: Gir Somnath (Gujarat). Tel: 02795-221137/232009/237403 Fax: 02795-220328/232032
	b) Address of Executive Project Engineer / Manager (with pincode / fax numbers).	:	Sh. Mahendra Singh Mertia Manager (Mines) Ambuja Cements Ltd. PO Ambujanagar, Taluka - Kodinar, Pin- 362715 District: Gir Somnath (Gujarat). Tel: 02795-232064 Fax: 02795 - 220328/232032
06	Salient features	:	
	a) of the project :	:	Ambuja Cements Ltd. has established cement manufacturing plant at Ambujanagar in Kodinar Taluka of Gir Somnath District. Limestone is the main raw materials for the cement plants, which is being exploited from company's own captive mines i.e. Rampara, Kukras, Bhetali & Anandpara Limestone Mine. RKBA is located at a distance of about 30 kms in NW direction with respect to cement plant. The rated capacity of the limestone at present is 2.0 MTPA.
	b) of the environmental management plans	:	<ul style="list-style-type: none">❖ Mining operations would not involve drilling & blasting. Limestone excavation is being carried out by environment friendly Surface Miner supported by ripper dozer.❖ Regular monitoring of environmental parameters is undertaken as per the norms of MoEF and IBM and same will be followed.❖ Preventive maintenance of deployed HEMM is being undertaken regularly and same will be continued.❖ Dust suppression by water sprinkling on haul roads is being done regularly in working area and same will be continued.



		<ul style="list-style-type: none">❖ Afforestation / Green belt development is being carried out concurrently along haul road, lease periphery and matured area as well as outside lease also (i.e. surrounding Mines office)❖ Mined-out areas will be converted to pasture land & into water reservoir.❖ Rural Development and Socio-economic activities will be undertaken in the project buffer zone area.
07	Break up of the project area.	
	a) Submergence area (forest & non-forest)	: Nil
	b) Others	: 310.3290 ha (Government waste land, Gauchar land & Private land)
08	Break up of the project affected population with enumeration of those losing houses / dwelling units only agricultural land only, both dwelling units & agricultural land & landless laborers/ artisan.	: Project does not require any rehabilitation or evacuation of permanent settlements as 87% of land is in our possession.
	a) SC, ST / Adivasis	: Not applicable
	b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures if a survey is carried out give details & year of survey)	: Not applicable
09	Financial details	: Project Cost: Rs. 900 Lakhs
	a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	Limestone raised from the mining lease area will partially supplement the requirements of existing cement units. As it is a captive mine for the Cement Plant, no separate project costing was prepared.
	b) Allocation made for environmental management plans with item wise and year wise break-up.	: Capital investment for environment protection measures - 57.08 Lakhs . List Are enclosed as under.

Expenditure incurred in Environment Management Plan RKBA Mines		
S.No	Particulars	Cost (In Lacs)
1	Monitoring Equipments	37.08
2	Environment Laboratory	10
3	Others (Monitoring Van, DG Sets etc.)	10
	Total (In Lacs INR)	57.08
B. Recurring Expenditure for the period of October 2022 to March 2023		
S.No	Particulars	Cost (In Lacs)
1	Green belt development & Dust suppression	26.39
2	Manpower Cost *	13.15
3	House Keeping	1.93
4	Other Env. Protection (Environmental Monitoring)	1.33
5	Environment Awareness *	1.43
	Total (In Lacs INR)	44.23
* Expenditures are Common for All the Plants & Mines.		





Ambuja Cement Foundation - Ambujanagar Details for programme wise expenditure for the year October 2022 to March 2023 (Rs. In lakhs)							
Sr.No	Programme	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	****Direct Funding to Communities	Total Exp.
GUJARAT - Kodinar							
1	Water Resource Mangement & Drinking Water Projects						
	a. Water Resource Development	11.05	0.00				11.05
	B .Drinking Water Programme	2.75			3.30		6.05
2	Agricuture Development(Drip irrigation, Farm Forestry & Afforestation)	37.03			191.35	233.95	462.33
3	BCI	28.33	1.54	221.84	297.00	396.06	944.77
4	Krishi Vigyan Kendra (KVK) - Agriculture	1.87	133.47				135.34
5	Health & Sanitation	12.25			8.27		20.52
6	Education Programme	7.75					7.75
7	Women / Youth Development	21.15					21.15
8	Skill and Enterprunership Development Programme	38.78	38.83		26.74		104.35
9	Integrated Community Development Programme	81.21					81.21
10	Co-ordination & Administration Expenses						0.00
11	Capital Expenditure						0.00
	TOTAL	242.17	173.84	221.84	526.66	630.01	1794.52

c)	Benefit cost (BC) ratio / Internal rate of return (IRR) and the year of assessment.	: No separate assessment made, as it is an integral part of the raw material source for the cement plants at Ambujanagar.
----	---	---

	d) Whether (c) includes the cost of environmental management as shown in the above.	:	Not Applicable
	e) Actual expenditure incurred on the project so far.	:	Rs. 11.59 Crores
	f) Actual expenditure incurred on the environmental management plans so far.	:	Rs. 12.69 Crores
10	Forest land requirement.	:	
	a) The status of approval for diversion of forest land for non-forestry use	:	The project area does not comprise of any forest land. Not applicable
	b) The status of clearing felling	:	Not applicable.
	c) The status of compensatory afforestation (CA), if any	:	Not applicable.
	d) Comments on the viability & sustainability of CA (compensatory afforestation) programme in the light of actual field experience so far.	:	Not applicable.
11	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads), if any with quantitative information required.	:	The project does not involve felling of trees.
12	Status of construction (Actual & or planned)	:	
	a) Date of commencement (Actual and / or planned)	:	4.10.2005
	b) Date of completion (Actual and / or planned).	:	Not applicable. As it is an ongoing captive mining Project for cement plant. (Mines life is approximate 8 to 10 years based on reserves)
13	Reasons for the delay if the project is yet to start.	:	Not applicable.
14	Dates of site visits	:	
	a) The dates on which the project was monitored by the Regional Office on previous occasions, if any.	:	1.) 12.10.10 to 13.10.10 by Dr. A. Mehrotra Regional Office, Bhopal 2.) 27 th to 28 th October 2020 by Sh. Vishwa Bandhu Meena, Scientist -C, MoEFCC, IRD Bhopal
	b) Date of site visit for this monitoring report	:	1.) 12.10.10 to 13.10.10 2.) 27.10.2020 to 28.10.2020
15	Details of correspondence with project authorities for obtaining action plans / information on status of compliance to safeguards other than the routine letters for logistic support for site visits).	:	Half yearly compliance status report is being regularly submitted and last submission was on 18.11.2022 vide letter No . ACL/EMD/F-16/2022/2689






**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

S N	Condition	Compliance Status
(A). Specific Conditions :		
I	The project proponent shall obtain Consent to Establish and Consent to Operate from the Gujarat Pollution Control Board and effectively implement all the conditions stipulated therein.	<ul style="list-style-type: none"> Consent to establish & Consent to operate has been obtained from Gujarat Pollution Control Board vide letter no. GPCB/ID17276/CTE/CCA-JNG/30(2)/71073 dated 28 January 2011 & letter no. GPCB/CCA-JNG-(30)3/ID-17276/87008 dated 19.07.2011 respectively. All the conditions stipulated therein are being effectively implemented. Copy of Consent to establish & Consent to operate has been submitted to MoEF&CC vide our submission dated 30.12.2011 vide letter no. ACL/EMD/F-16/2011/62788. Latest CCA is valid up to 30/09/2025.
II	The environmental clearance is subject to approval of the State Land use Department, Government of Gujarat for diversion of agricultural land for non-agricultural use.	<ul style="list-style-type: none"> Necessary approval is being obtained from State Land use Department, Government of Gujarat for diversion of agricultural land for non-agricultural use. Details of land converted into non-agriculture land has been submitted to MoEF&CC vide our letter no. ACL/EMD/F-16/2011/136/59025 dated 28.06.2011
		
III	Necessary prior permission from the Competent Authority as may be applicable for use of grazing land for mining purpose shall be obtained,	<ul style="list-style-type: none"> Necessary prior permission as applicable has been obtained from the Competent Authority & Village Panchayat has passed resolution for grazing land. Whereas Industries & Mines dept. Govt. of Gujarat has also granted Mines Lease Order. Copy of Lease Grant Order has been already submitted to MoEF&CC vide our submission dated 30.12.2011 vide letter no. ACL/EMD/F-16/2011/62788
		
		

All the gram panchayats had been given their permissions vide their resolutions, resolutions copy of gram panchayat are given herewith.




**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

IV	The project proponent shall develop fodder plots in the non-mineralized area in lieu of use of grazing land.	<ul style="list-style-type: none"> There is no non-mineralized area within entire lease. However we are converting the exhausted pits into pasture land/grazing land. Till March'2023 47.9301 Ha. Area has been converted in to pasture land.
		
V	The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations. The first order streams and the seasonal nallahs, if any originating from the mining lease area shall be protected.	<ul style="list-style-type: none"> Natural watercourse and/or water resources is not being obstructed due to any mining operations.
		
VI	The mining operations shall be so carried out by adjusting the working schedule in different seasons in such a manner, that the working will be restricted to above water table without resorting to any pumping of groundwater. In case of working below the ground water table, prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydro-geological study shall be carried out.	<ul style="list-style-type: none"> Point noted and Mining is being carried out above the ground water table.
VII	The proponent shall carry out long term studies on salinity and water levels in and around existing mining areas and the new proposed sites and submit report to this Ministry and Central Ground Water Authority within a period of 6 months.	<ul style="list-style-type: none"> Ground Water & Mineral Investigation Consultancy Centre Pvt. Ltd. (GWMICC), Jaipur has been engaged for the monitoring of ground water quality & Impact of limestone mining and salinity ingress status around RKBA Limestone Mines and around ACL Plants and Mines in Gir Somnath District. A report on the same has been already submitted to MoEF vide our submission dated 21.05.11 vide letter no. ACL/EMD/F-16/2011 & also on 28.06.2011 vide letter no. ACL/EMD/F-16/2011/136/59025.



Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

VIII	The top soil shall be concurrently used for mine reclamation, plantation and green belt development.	<ul style="list-style-type: none"> Point noted and being complied. Top soil concurrently used for developing the Pasture land. The top soil being stacked separately in the ear marked site with appropriate measures. Top Soil is stored systematically. Road side bunds are made from poor grade material and Top soil is used in order to improve growth of planted species and to increase survival rate. Top Soil Generated till March'2023 is 7200 m³. The top soil has been used for developing the pasture land and green belt development.
------	--	---







Sl. No.	Location	Quantity (m ³)	Remarks
1	Area 1	5514.1	
2	Area 2	5514.1	
3	Area 3	5514.1	
4	Area 4	5514.1	
5	Area 5	5514.1	
6	Area 6	5514.1	
7	Area 7	5514.1	
8	Area 8	5514.1	
9	Area 9	5514.1	
10	Area 10	5514.1	
11	Area 11	5514.1	
12	Area 12	5514.1	
13	Area 13	5514.1	
14	Area 14	5514.1	
15	Area 15	5514.1	
16	Area 16	5514.1	
17	Area 17	5514.1	
18	Area 18	5514.1	
19	Area 19	5514.1	
20	Area 20	5514.1	
21	Area 21	5514.1	
22	Area 22	5514.1	
23	Area 23	5514.1	
24	Area 24	5514.1	
25	Area 25	5514.1	
26	Area 26	5514.1	
27	Area 27	5514.1	
28	Area 28	5514.1	
29	Area 29	5514.1	
30	Area 30	5514.1	
31	Area 31	5514.1	
32	Area 32	5514.1	
33	Area 33	5514.1	
34	Area 34	5514.1	
35	Area 35	5514.1	
36	Area 36	5514.1	
37	Area 37	5514.1	
38	Area 38	5514.1	
39	Area 39	5514.1	
40	Area 40	5514.1	
41	Area 41	5514.1	
42	Area 42	5514.1	
43	Area 43	5514.1	
44	Area 44	5514.1	
45	Area 45	5514.1	
46	Area 46	5514.1	
47	Area 47	5514.1	
48	Area 48	5514.1	
49	Area 49	5514.1	
50	Area 50	5514.1	
51	Area 51	5514.1	
52	Area 52	5514.1	
53	Area 53	5514.1	
54	Area 54	5514.1	
55	Area 55	5514.1	
56	Area 56	5514.1	
57	Area 57	5514.1	
58	Area 58	5514.1	
59	Area 59	5514.1	
60	Area 60	5514.1	
61	Area 61	5514.1	
62	Area 62	5514.1	
63	Area 63	5514.1	
64	Area 64	5514.1	
65	Area 65	5514.1	
66	Area 66	5514.1	
67	Area 67	5514.1	
68	Area 68	5514.1	
69	Area 69	5514.1	
70	Area 70	5514.1	
71	Area 71	5514.1	
72	Area 72	5514.1	
73	Area 73	5514.1	
74	Area 74	5514.1	
75	Area 75	5514.1	
76	Area 76	5514.1	
77	Area 77	5514.1	
78	Area 78	5514.1	
79	Area 79	5514.1	
80	Area 80	5514.1	
81	Area 81	5514.1	
82	Area 82	5514.1	
83	Area 83	5514.1	
84	Area 84	5514.1	
85	Area 85	5514.1	
86	Area 86	5514.1	
87	Area 87	5514.1	
88	Area 88	5514.1	
89	Area 89	5514.1	
90	Area 90	5514.1	
91	Area 91	5514.1	
92	Area 92	5514.1	
93	Area 93	5514.1	
94	Area 94	5514.1	
95	Area 95	5514.1	
96	Area 96	5514.1	
97	Area 97	5514.1	
98	Area 98	5514.1	
99	Area 99	5514.1	
100	Area 100	5514.1	

**Screenshot of Top Soil Register maintained
at mines Site office**







**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

IX	<p>Out of the total excavated area of 268.22ha, an area of 270.47ha shall be converted into pasture land/demo farm/plantation. There shall be no external dump(s). Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forest and its regional office located at Bhopal on six monthly basis</p>	<ul style="list-style-type: none"> Details of greenbelt/reclamation are enclosed as (a) & (b). Compliance status is being submitted to the Ministry of Environment & Forest and its regional office located at Bhopal on six monthly basis latest communication dated 18.11.2023 vide letter No . ACL/EMD/F-16/2022/2689. Plantation Done From October 2022 to March 2023 is 693. Total Cumulative plantation till March'2023 is 29282.
		
(b)	<p>1) Developed pasture land photographs- Pit No- 06 (East Direction)</p> 	<p>2) Developed pasture land photographs- Pit No- 13</p> 
X	<p>The void left unfilled in an area of 9.6ha shall be converted into water body. The higher benches of excavated void/mining pit shall be terraced and plantation done to stabilize the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area.</p>	<ul style="list-style-type: none"> Total Open mine area is 212.9966 Ha. On higher benches, plantation has been done and slope of higher benches will be made gentler as the mining progress. Peripheral fencing work is going on along the excavated area. Total 7676.8 meter brick wall, 34424.5 meter barbed wire and 31931.4656 meter earthen bunds Fencing has been done till March'2023.



**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

		
XI	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the working pit and temporary soil and mineral dump(s) to arrest flow of silt and sediment directly into the agricultural fields and the water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after the monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for the mine pit and temporary soil and mineral dump(s) to prevent run off of water and flow of sediments directly into the agricultural fields and the water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>To collect surface run-off and arrest silt and sediment flow from the soil & mineral stacks, drain along with settling pond is constructed along the toe of the stacks, ultimately drain water is being collected into mined out pit.</p> <p>The drains are properly maintained and collected water is utilized for watering the mine area, roads, green belt development etc.</p> 
XII	<p>Dimension of the retaining wall at the toe of temporary soil and mineral dumps to check run-off and siltation should be based on the rain fall data.</p>	<p>Retaining wall has already been provided on the periphery of top soil storage area in order to prevent from run-off.</p>
	 <p align="center">Retaining walls at the toe of the soil dumps has been constructed.</p>	





**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

XIII	Green belt shall be raised in an area of 21.58ha including a 7.5m wide statutory barrier all around the mining lease, roads etc, by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2000 trees per hectare. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	<ul style="list-style-type: none"> Plantation Done From during Oct'22 to March'2023 is 693. Total Cumulative plantation till March'2023 is 29282 Nos. Remaining area will also be covered under plantation as per approved mining plan. Details of greenbelt/reclamation are enclosed as under :
------	--	--

RKBA MINES Greenbelt & Plantation Details				
Total Lease Area (in ha)	Opened up Area (in Ha)	Plantation From 2022-23	Pasture land (in Ha)	Water Body (in Ha)
310.3290	212.9966	693	47.9301	14.8663

XIV	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high level of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	<ul style="list-style-type: none"> Water tankers have been deployed for regular sprinkling of water on haul roads to prevent fugitive dusting in mines area. Photographs are enclosed as under. Air quality monitoring is being done regularly for the parameters prescribed by the Central Pollution Control Board. Surface miner is having an inbuilt water spraying mechanism on the faces to suppress the dust particles.
-----	---	--



Regular water sprinkling is being done on haul roads at RKBA Mines Area



Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

XV	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>	<p>Water conservation measures to augment ground water resources in the area are being done by our Ambuja Cement Foundation (ACF). ACF & community development work done by ACF in surrounding areas is enclosed as Annexure-1:</p>																																																																																																																																
<div><div>Ambuja Cement Foundation - Ambujanagar</div><div>Details for programme wise expenditure for the year October 2022 to March 2023</div><div>(Rs. In lakhs)</div><table><tr><th>Sr.No</th><th>Programme</th><th>ACF - ACL</th><th>*Funds received through Government</th><th>** Funds from other Donors / Donor Agencies</th><th>***People's Contribution</th><th>****Direct Funding to Communities</th><th>Total Exp.</th></tr><tr><td colspan="8">GUJARAT - Kodinar</td></tr><tr><td>1</td><td>Water Resource Mangement & Drinking Water Projects</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>a.Water Resource Development</td><td>11.05</td><td>0.00</td><td></td><td></td><td></td><td>11.05</td></tr><tr><td></td><td>B.Drinking Water Programme</td><td>2.75</td><td></td><td></td><td>3.30</td><td></td><td>6.05</td></tr><tr><td>2</td><td>Agriculture Development(Drip irrigation, Farm Forestry & Afforestation)</td><td>37.03</td><td></td><td></td><td>191.35</td><td>233.95</td><td>462.33</td></tr><tr><td>3</td><td>BCI</td><td>28.33</td><td>1.54</td><td>221.84</td><td>297.00</td><td>396.06</td><td>944.77</td></tr><tr><td>4</td><td>Krishi Vigyan Kendra (KVK) - Agriculture</td><td>1.87</td><td>133.47</td><td></td><td></td><td></td><td>135.34</td></tr><tr><td>5</td><td>Health & Sanitation</td><td>12.25</td><td></td><td></td><td>8.27</td><td></td><td>20.52</td></tr><tr><td>6</td><td>Education Programme</td><td>7.75</td><td></td><td></td><td></td><td></td><td>7.75</td></tr><tr><td>7</td><td>Women / Youth Development</td><td>21.15</td><td></td><td></td><td></td><td></td><td>21.15</td></tr><tr><td>8</td><td>Skill and Enterprunership Development Programme</td><td>38.78</td><td>38.83</td><td></td><td>26.74</td><td></td><td>104.35</td></tr><tr><td>9</td><td>Integrated Community Development Programme</td><td>81.21</td><td></td><td></td><td></td><td></td><td>81.21</td></tr><tr><td>10</td><td>Co-ordination & Administration Expenses</td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td>11</td><td>Capital Expenditure</td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td>TOTAL</td><td>242.17</td><td>173.84</td><td>221.84</td><td>526.66</td><td>630.01</td><td>1794.52</td></tr></table></div>			Sr.No	Programme	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	****Direct Funding to Communities	Total Exp.	GUJARAT - Kodinar								1	Water Resource Mangement & Drinking Water Projects								a.Water Resource Development	11.05	0.00				11.05		B.Drinking Water Programme	2.75			3.30		6.05	2	Agriculture Development(Drip irrigation, Farm Forestry & Afforestation)	37.03			191.35	233.95	462.33	3	BCI	28.33	1.54	221.84	297.00	396.06	944.77	4	Krishi Vigyan Kendra (KVK) - Agriculture	1.87	133.47				135.34	5	Health & Sanitation	12.25			8.27		20.52	6	Education Programme	7.75					7.75	7	Women / Youth Development	21.15					21.15	8	Skill and Enterprunership Development Programme	38.78	38.83		26.74		104.35	9	Integrated Community Development Programme	81.21					81.21	10	Co-ordination & Administration Expenses						0.00	11	Capital Expenditure						0.00		TOTAL	242.17	173.84	221.84	526.66	630.01	1794.52
Sr.No	Programme	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	****Direct Funding to Communities	Total Exp.																																																																																																																											
GUJARAT - Kodinar																																																																																																																																		
1	Water Resource Mangement & Drinking Water Projects																																																																																																																																	
	a.Water Resource Development	11.05	0.00				11.05																																																																																																																											
	B.Drinking Water Programme	2.75			3.30		6.05																																																																																																																											
2	Agriculture Development(Drip irrigation, Farm Forestry & Afforestation)	37.03			191.35	233.95	462.33																																																																																																																											
3	BCI	28.33	1.54	221.84	297.00	396.06	944.77																																																																																																																											
4	Krishi Vigyan Kendra (KVK) - Agriculture	1.87	133.47				135.34																																																																																																																											
5	Health & Sanitation	12.25			8.27		20.52																																																																																																																											
6	Education Programme	7.75					7.75																																																																																																																											
7	Women / Youth Development	21.15					21.15																																																																																																																											
8	Skill and Enterprunership Development Programme	38.78	38.83		26.74		104.35																																																																																																																											
9	Integrated Community Development Programme	81.21					81.21																																																																																																																											
10	Co-ordination & Administration Expenses						0.00																																																																																																																											
11	Capital Expenditure						0.00																																																																																																																											
	TOTAL	242.17	173.84	221.84	526.66	630.01	1794.52																																																																																																																											
XVI	<p>Regular monitoring of ground water level and quality shall be carried out within the mine lease and in the surrounding area (up to 5 km of the mine lease) by establishing a network of groundwater monitoring stations (existing wells and installing new piezometers) during the mining operation in consultation with Central Groundwater Authority / Ground Water Board and groundwater table shall be monitored and records maintained. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhopal, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted and salinity ingress in groundwater is observed due to the mining activity, necessary corrective safeguard measures shall be taken in consultation with the Central Ground Water Authority.</p>	<div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>ACL/EMD/F-10/2022/2505/427</div><div><div><div>Ambuja Cement</div><div>18.05.2022</div></div></div><div><p>The Director, Ministry of Environment, Forest and Climate Change (MoEF&CC), Regional Office, Western Region, "Narmada Purvachal Bhawan", Lotus Road No.3, Near Bhamburda Nagar, Bhopal - 462016, (M.P.)</p><p>Subject: Regarding submission of Ground Water level & quality monitoring Report of Narmada Purvachal Project and Ambuja Cement Limited, located at village of Rampura, Khatwa Road and Ambujanagar, Taluka/Village and District of Bhopal, Madhya Pradesh.</p><p>Ref No: 1. EC-11/10/2021/2018-24 (M) dated 04.03.2011 2. CORP/ACF/ENV/10/2022/2505/427 dated 17.04.2022</p><p>Dear Sir,</p><p>This is in reference to above mentioned letter to our Narmada Purvachal Project and Ambujanagar, Madhya Pradesh Project of M/s. Ambuja Cement Limited, located at village of Rampura, Khatwa Road and Ambujanagar, Taluka/Village and District of Bhopal, Madhya Pradesh.</p><p>As per the Environmental Clearance (EC) condition No. 10A, we are directed to submit Ground Water level & Ground Water Quality Monitoring Report for the year 2021 - 2022 or post monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January).</p><p>Kindly acknowledge the receipt of the same.</p><p>Thanking You,</p><p>Yours Faithfully, For Ambuja Cement Limited</p><p>Goverdhan Singh Chauhan (Head - Environment)</p><p>Encl. - 44 copies GC</p><div><div>1. The Ministry of Environment, Forest and Climate Change (MoEF&CC), 1st Floor, Pashu Vihar, India Postgraduate Complex, Jh. Singh, New Delhi-110005</div><div>2. Regional Director, Central Ground Water Board, Post Central Region, Sector Headquarter, New Delhi-110005</div><div>3. Central Ground Water Board, Ambujanagar, New Delhi-110005</div><div>4. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhawan, Sector 18-A, Gandhinagar, -382015</div><div>5. The Regional Officer, Gujarat Pollution Control Board, Opp. Aji's Church, Dabhoi Road, Junagadh - 362001</div></div><div><div>Page 01 of 01</div><div>Page 01 of 01</div><div>Page 01 of 01</div></div></div></div></div>																																																																																																																																

429
Ambuja Cement
 18.05.2022

ACLUENOF-102022-2505
 The Director,
 Ministry of Environment, Forest and Climate Change (MoEF&CC),
 Regional Office, Western Region,
 "Mahatma Jyotiba Phule Nagar"
 Link Road No. 3, Near Chhatrapati Nagar,
 Bhopal - 462016, (M.P.)

Subject: Regarding submission of Ground Water level & quality monitoring Report of Rampura Parwana District and Ambujanagar (RPA) Limestone Mine.

Ref No: 1. E.C.-J-11015/221/2008-IA-II(M) dated 04.03.2011.
 2. GOVA/NO/2008/09/02257841, dated 15.04.2011.

Dear Sir,

This is in reference to above mentioned letter in our Rampura Parwana District and Ambujanagar Limestone Mine Project of M/s. Ambuja Cement Limited, located at village Rampura Parwana, District and Ambujanagar, District Gandhinagar, Gujarat.

As per the Environmental Clearance (EC) specific condition No. IV, we are pleased to submit Ground Water Level & Ground water Quality Monitoring Report for the year 2021 - 2022 of pre-monsoon (April-May), monsoon (August), post-monsoon (November), and winter (January).

Kindly acknowledge the receipt of the same.

Yours Faithfully,
 For Ambuja Cement Limited
 Geetendra Singh Chauhan
 Head - Environment
 Encl: 44 copies
 GC

1. The Ministry of Environment, Forest and Climate Change (MoEF&CC), 3rd Floor, Preeti Wing, Indra Parkway (Bhopal), Bhopal, New Delhi-110016

2. Regional Director, Central Ground Water Board, West Central Region, Sector Haridwar Building, Near Kirti Park, Ambujanagar (Gandhinagar), Bhopal - 462016

3. Central Ground Water Authority, Ambujanagar House, 16/11, Main Singh Road Area, New Delhi-110001

4. The Member Secretary, District Pollution Control Board, Rampura Parwana, Sector 10-A, Gandhinagar - 382019

5. The Regional Officer, Gujarat Pollution Control Board, Opp. Anand Chauri, Sakinaka Road, Jaipur-302001

Page 02/02
 For Ambujanagar, 18.05.2022
 For Ambujanagar, 18.05.2022
 For Ambujanagar, 18.05.2022

Ambuja Cement Limited
 Head - Environment
 Encl: 44 copies
 For Ambujanagar, 18.05.2022
 For Ambujanagar, 18.05.2022
 For Ambujanagar, 18.05.2022

Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

Feb-23			Ground Water Quality Report of RKBA Mines							
S.N.	Ref.No.	IS 10500:2012 (S.R)	Well Water							
		Desirable	Permissible							Piezometers
Source				W3	W7	W8	W10	W13	W15A	Piezometer 1
Village				RAMPARA	RAMPARA	RAMPARA	RAMPARA	RAMPARA	RAMPARA	RKBA Mines
Taluka				VERAVAL	VERAVAL	VERAVAL	VERAVAL	VERAVAL	VERAVAL	VERAVAL
District				GIR-SOMNATH	GIR-SOMNATH	GIR-SOMNATH	GIR-SOMNATH	GIR-SOMNATH	GIR-SOMNATH	GIR-SOMNATH
1 Color Hazen Units		5	15	3.12	2.08	2.08	3.12	3.12	3.12	2.08
2 Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3 Taste		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4 Turbidity NTU		1	5	3.03	1.85	0.52	0.65	1.45	0.58	1.97
5 pH at 25°C		6.5 to 8.5	No Relaxation	8.06	8.09	7.95	8.13	8.02	8.01	7.68
6 Dissolved Solids mg/l		500	2000	424	330	342	270	324	760	462
7 Total Hardness (as CaCO ₃) mg/l		200	600	180	180	176	128	144	160	296
8 Calcium (as Ca mg/l)		75	200	38	38	35	26	29	34	61
9 Magnesium (as Mg mg/l)		30	100	20	20	21	16	17	18	35
10 Chlorides (as Cl mg/l)		250	1000	100	56	48	56	64	340	48
11 Sulphates (as SO ₄) mg/l		200	400	29	29	28	21	23	26	48
12 Nitrates (as NO ₃) mg/l		45	No Relaxation	43.2	16.8	44.6	17.6	41.0	44.1	25.9
13 Fluorides (as F mg/l)		1	1.5	0.67	0.52	0.73	0.57	0.73	0.74	1.09
14 Alkalinity (as CaCO ₃) mg/l		200	600	152	100	160	128	160	144	224
Water Level				18.7	19.8	18.3	20.7	20	20.4	19.8

XVI I The project proponent shall obtain necessary prior permission of the competent authorities for draw of requisite quantity of water (surface water and ground water), if any, required for the project.

- We have take CGWA NOC for ground water withdrawal 105 m³/day for drinking purpose only. Whereas water requirement for dust suppression and greenbelt development is being met from harvested rain water in mined out pit.
- NOC has been granted vide letter No. CGWA/NOC/MIN/REN/1/2022/7138 dtd. 11.08.2022 from CGWA, New Delhi for abstraction of ground water a tune of 105 m³/day.

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name: RKBA Mines
Project Address: Ambuja Cement Ltd., RKBA Limestone Mines, Taluka Veraland And Subarada
Village: Rampara **Block:** Patan Veraland
District: Gir Somnath **State:** Gujarat
Pin Code:
Communication Address: RKBA Mines, Ambuja Cement Limited, Taluka : Veraland And Subarada, Hodar, Gir Somnath, Gujarat - 362715
Address of CGWA Regional Office: Central Ground Water Board West Central Region, Savant Harinarayan College, Building, Shri Aham Taluka, Ahmedabad, Gujarat - 380022

1. NOC No.: CGWA/NOC/MIN/REN/1/2022/7138
2. Application No.: 21-40374/GAMIN/2017
3. Category: Safe
4. Project Status: Existing Ground Water
5. Valid from: 16/02/2022
6. Ground Water Abstraction Permitted:





Fresh Water	Saline Water	Dewatering	Total
m ³ /day	m ³ /day	m ³ /day	m ³ /day
105.36	39325.60		

7. NOC Type: Renewal
8. Valid up to: 15/03/2024

9. Details of ground water abstraction/conservation structures:

Abstraction Structure	DW	DCB	BW	TW	MP	MPU	DW	DCB	BW	TW	MP	MPU
"On Dip Well, DCR-Supernode Well, 600mm dia, 750mm dia, 1000mm dia, 1200mm dia, 1500mm dia, 1800mm dia, 2100mm dia, 2400mm dia, 2700mm dia, 3000mm dia, 3300mm dia, 3600mm dia, 3900mm dia, 4200mm dia, 4500mm dia, 4800mm dia, 5100mm dia, 5400mm dia, 5700mm dia, 6000mm dia, 6300mm dia, 6600mm dia, 6900mm dia, 7200mm dia, 7500mm dia, 7800mm dia, 8100mm dia, 8400mm dia, 8700mm dia, 9000mm dia, 9300mm dia, 9600mm dia, 9900mm dia, 10200mm dia, 10500mm dia, 10800mm dia, 11100mm dia, 11400mm dia, 11700mm dia, 12000mm dia, 12300mm dia, 12600mm dia, 12900mm dia, 13200mm dia, 13500mm dia, 13800mm dia, 14100mm dia, 14400mm dia, 14700mm dia, 15000mm dia, 15300mm dia, 15600mm dia, 15900mm dia, 16200mm dia, 16500mm dia, 16800mm dia, 17100mm dia, 17400mm dia, 17700mm dia, 18000mm dia, 18300mm dia, 18600mm dia, 18900mm dia, 19200mm dia, 19500mm dia, 19800mm dia, 20100mm dia, 20400mm dia, 20700mm dia, 21000mm dia, 21300mm dia, 21600mm dia, 21900mm dia, 22200mm dia, 22500mm dia, 22800mm dia, 23100mm dia, 23400mm dia, 23700mm dia, 24000mm dia, 24300mm dia, 24600mm dia, 24900mm dia, 25200mm dia, 25500mm dia, 25800mm dia, 26100mm dia, 26400mm dia, 26700mm dia, 27000mm dia, 27300mm dia, 27600mm dia, 27900mm dia, 28200mm dia, 28500mm dia, 28800mm dia, 29100mm dia, 29400mm dia, 29700mm dia, 30000mm dia, 30300mm dia, 30600mm dia, 30900mm dia, 31200mm dia, 31500mm dia, 31800mm dia, 32100mm dia, 32400mm dia, 32700mm dia, 33000mm dia, 33300mm dia, 33600mm dia, 33900mm dia, 34200mm dia, 34500mm dia, 34800mm dia, 35100mm dia, 35400mm dia, 35700mm dia, 36000mm dia, 36300mm dia, 36600mm dia, 36900mm dia, 37200mm dia, 37500mm dia, 37800mm dia, 38100mm dia, 38400mm dia, 38700mm dia, 39000mm dia, 39300mm dia, 39600mm dia, 39900mm dia, 40200mm dia, 40500mm dia, 40800mm dia, 41100mm dia, 41400mm dia, 41700mm dia, 42000mm dia, 42300mm dia, 42600mm dia, 42900mm dia, 43200mm dia, 43500mm dia, 43800mm dia, 44100mm dia, 44400mm dia, 44700mm dia, 45000mm dia, 45300mm dia, 45600mm dia, 45900mm dia, 46200mm dia, 46500mm dia, 46800mm dia, 47100mm dia, 47400mm dia, 47700mm dia, 48000mm dia, 48300mm dia, 48600mm dia, 48900mm dia, 49200mm dia, 49500mm dia, 49800mm dia, 50100mm dia, 50400mm dia, 50700mm dia, 51000mm dia, 51300mm dia, 51600mm dia, 51900mm dia, 52200mm dia, 52500mm dia, 52800mm dia, 53100mm dia, 53400mm dia, 53700mm dia, 54000mm dia, 54300mm dia, 54600mm dia, 54900mm dia, 55200mm dia, 55500mm dia, 55800mm dia, 56100mm dia, 56400mm dia, 56700mm dia, 57000mm dia, 57300mm dia, 57600mm dia, 57900mm dia, 58200mm dia, 58500mm dia, 58800mm dia, 59100mm dia, 59400mm dia, 59700mm dia, 60000mm dia, 60300mm dia, 60600mm dia, 60900mm dia, 61200mm dia, 61500mm dia, 61800mm dia, 62100mm dia, 62400mm dia, 62700mm dia, 63000mm dia, 63300mm dia, 63600mm dia, 63900mm dia, 64200mm dia, 64500mm dia, 64800mm dia, 65100mm dia, 65400mm dia, 65700mm dia, 66000mm dia, 66300mm dia, 66600mm dia, 66900mm dia, 67200mm dia, 67500mm dia, 67800mm dia, 68100mm dia, 68400mm dia, 68700mm dia, 69000mm dia, 69300mm dia, 69600mm dia, 69900mm dia, 70200mm dia, 70500mm dia, 70800mm dia, 71100mm dia, 71400mm dia, 71700mm dia, 72000mm dia, 72300mm dia, 72600mm dia, 72900mm dia, 73200mm dia, 73500mm dia, 73800mm dia, 74100mm dia, 74400mm dia, 74700mm dia, 75000mm dia, 75300mm dia, 75600mm dia, 75900mm dia, 76200mm dia, 76500mm dia, 76800mm dia, 77100mm dia, 77400mm dia, 77700mm dia, 78000mm dia, 78300mm dia, 78600mm dia, 78900mm dia, 79200mm dia, 79500mm dia, 79800mm dia, 80100mm dia, 80400mm dia, 80700mm dia, 81000mm dia, 81300mm dia, 81600mm dia, 81900mm dia, 82200mm dia, 82500mm dia, 82800mm dia, 83100mm dia, 83400mm dia, 83700mm dia, 84000mm dia, 84300mm dia, 84600mm dia, 84900mm dia, 85200mm dia, 85500mm dia, 85800mm dia, 86100mm dia, 86400mm dia, 86700mm dia, 87000mm dia, 87300mm dia, 87600mm dia, 87900mm dia, 88200mm dia, 88500mm dia, 88800mm dia, 89100mm dia, 89400mm dia, 89700mm dia, 90000mm dia, 90300mm dia, 90600mm dia, 90900mm dia, 91200mm dia, 91500mm dia, 91800mm dia, 92100mm dia, 92400mm dia, 92700mm dia, 93000mm dia, 93300mm dia, 93600mm dia, 93900mm dia, 94200mm dia, 94500mm dia, 94800mm dia, 95100mm dia, 95400mm dia, 95700mm dia, 96000mm dia, 96300mm dia, 96600mm dia, 96900mm dia, 97200mm dia, 97500mm dia, 97800mm dia, 98100mm dia, 98400mm dia, 98700mm dia, 99000mm dia, 99300mm dia, 99600mm dia, 99900mm dia, 100200mm dia, 100500mm dia, 100800mm dia, 101100mm dia, 101400mm dia, 101700mm dia, 102000mm dia, 102300mm dia, 102600mm dia, 102900mm dia, 103200mm dia, 103500mm dia, 103800mm dia, 104100mm dia, 104400mm dia, 104700mm dia, 105000mm dia, 105300mm dia, 105600mm dia, 105900mm dia, 106200mm dia, 106500mm dia, 106800mm dia, 107100mm dia, 107400mm dia, 107700mm dia, 108000mm dia, 108300mm dia, 108600mm dia, 108900mm dia, 109200mm dia, 109500mm dia, 109800mm dia, 110100mm dia, 110400mm dia, 110700mm dia, 111000mm dia, 111300mm dia, 111600mm dia, 111900mm dia, 112200mm dia, 112500mm dia, 112800mm dia, 113100mm dia, 113400mm dia, 113700mm dia, 114000mm dia, 114300mm dia, 114600mm dia, 114900mm dia, 115200mm dia, 115500mm dia, 115800mm dia, 116100mm dia, 116400mm dia, 116700mm dia, 117000mm dia, 117300mm dia, 117600mm dia, 117900mm dia, 118200mm dia, 118500mm dia, 118800mm dia, 119100mm dia, 119400mm dia, 119700mm dia, 120000mm dia, 120300mm dia, 120600mm dia, 120900mm dia, 121200mm dia, 121500mm dia, 121800mm dia, 122100mm dia, 122400mm dia, 122700mm dia, 123000mm dia, 123300mm dia, 123600mm dia, 123900mm dia, 124200mm dia, 124500mm dia, 124800mm dia, 125100mm dia, 125400mm dia, 125700mm dia, 126000mm dia, 126300mm dia, 126600mm dia, 126900mm dia, 127200mm dia, 127500mm dia, 127800mm dia, 128100mm dia, 128400mm dia, 128700mm dia, 129000mm dia, 129300mm dia, 129600mm dia, 129900mm dia, 130200mm dia, 130500mm dia, 130800mm dia, 131100mm dia, 131400mm dia, 131700mm dia, 132000mm dia, 132300mm dia, 132600mm dia, 132900mm dia, 133200mm dia, 133500mm dia, 133800mm dia, 134100mm dia, 134400mm dia, 134700mm dia, 135000mm dia, 135300mm dia, 135600mm dia, 135900mm dia, 136200mm dia, 136500mm dia, 136800mm dia, 137100mm dia, 137400mm dia, 137700mm dia, 138000mm dia, 138300mm dia, 138600mm dia, 138900mm dia, 139200mm dia, 139500mm dia, 139800mm dia, 140100mm dia, 140400mm dia, 140700mm dia, 141000mm dia, 141300mm dia, 141600mm dia, 141900mm dia, 142200mm dia, 142500mm dia, 142800mm dia, 143100mm dia, 143400mm dia, 143700mm dia, 144000mm dia, 144300mm dia, 144600mm dia, 144900mm dia, 145200mm dia, 145500mm dia, 145800mm dia, 146100mm dia, 146400mm dia, 146700mm dia, 147000mm dia, 147300mm dia, 147600mm dia, 147900mm dia, 148200mm dia, 148500mm dia, 148800mm dia, 149100mm dia, 149400mm dia, 149700mm dia, 150000mm dia, 150300mm dia, 150600mm dia, 150900mm dia, 151200mm dia, 151500mm dia, 151800mm dia, 152100mm dia, 152400mm dia, 152700mm dia, 153000mm dia, 153300mm dia, 153600mm dia, 153900mm dia, 154200mm dia, 154500mm dia, 154800mm dia, 155100mm dia, 155400mm dia, 155700mm dia, 156000mm dia, 156300mm dia, 156600mm dia, 156900mm dia, 157200mm dia, 157500mm dia, 157800mm dia, 158100mm dia, 158400mm dia, 158700mm dia, 159000mm dia, 159300mm dia, 159600mm dia, 159900mm dia, 160200mm dia, 160500mm dia, 160800mm dia, 161100mm dia, 161400mm dia, 161700mm dia, 162000mm dia, 162300mm dia, 162600mm dia, 162900mm dia, 163200mm dia, 163500mm dia, 163800mm dia, 164100mm dia, 164400mm dia, 164700mm dia, 165000mm dia, 165300mm dia, 165600mm dia, 165900mm dia, 166200mm dia, 166500mm dia, 166800mm dia, 167100mm dia, 167400mm dia, 167700mm dia, 168000mm dia, 168300mm dia, 168600mm dia, 168900mm dia, 169200mm dia, 169500mm dia, 169800mm dia, 170100mm dia, 170400mm dia, 170700mm dia, 171000mm dia, 171300mm dia, 171600mm dia, 171900mm dia, 172200mm dia, 172500mm dia, 172800mm dia, 173100mm dia, 173400mm dia, 173700mm dia, 174000mm dia, 174300mm dia, 174600mm dia, 174900mm dia, 175200mm dia, 175500mm dia, 175800mm dia, 176100mm dia, 176400mm dia, 176700mm dia, 177000mm dia, 177300mm dia, 177600mm dia, 177900mm dia, 178200mm dia, 178500mm dia, 178800mm dia, 179100mm dia, 179400mm dia, 179700mm dia, 180000mm dia, 180300mm dia, 180600mm dia, 180900mm dia, 181200mm dia, 181500mm dia, 181800mm dia, 182100mm dia, 182400mm dia, 182700mm dia, 183000mm dia, 183300mm dia, 183600mm dia, 183900mm dia, 184200mm dia, 184500mm dia, 184800mm dia, 185100mm dia, 185400mm dia, 185700mm dia, 186000mm dia, 186300mm dia, 186600mm dia, 186900mm dia, 187200mm dia, 187500mm dia, 187800mm dia, 188100mm dia, 188400mm dia, 188700mm dia, 189000mm dia, 189300mm dia, 189600mm dia, 189900mm dia, 190200mm dia, 190500mm dia, 190800mm dia, 191100mm dia, 191400mm dia, 191700mm dia, 192000mm dia, 192300mm dia, 192600mm dia, 192900mm dia, 193200mm dia, 193500mm dia, 193800mm dia, 194100mm dia, 194400mm dia, 194700mm dia, 195000mm dia, 195300mm dia, 195600mm dia, 195900mm dia, 196200mm dia, 196500mm dia, 196800mm dia, 197100mm dia, 197400mm dia, 197700mm dia, 198000mm dia, 198300mm dia, 198600mm dia, 198900mm dia, 199200mm dia, 199500mm dia, 199800mm dia, 200100mm dia, 200400mm dia, 200700mm dia, 201000mm dia, 201300mm dia, 201600mm dia, 201900mm dia, 202200mm dia, 202500mm dia, 202800mm dia, 203100mm dia, 203400mm dia, 203700mm dia, 204000mm dia, 204300mm dia, 204600mm dia, 204900mm dia, 205200mm dia, 205500mm dia, 205800mm dia, 206100mm dia, 206400mm dia, 206700mm dia, 207000mm dia, 207300mm dia, 207600mm dia, 207900mm dia, 208200mm dia, 208500mm dia, 208800mm dia, 209100mm dia, 209400mm dia, 209700mm dia, 210000mm dia, 210300mm dia, 210600mm dia, 210900mm dia, 211200mm dia, 211500mm dia, 211800mm dia, 212100mm dia, 212400mm dia, 212700mm dia, 213000mm dia, 213300mm dia, 213600mm dia, 213900mm dia, 214200mm dia, 214500mm dia, 214800mm dia, 215100mm dia, 215400mm dia, 215700mm dia, 216000mm dia, 216300mm dia, 216600mm dia, 216900mm dia, 217200mm dia, 217500mm dia, 217800mm dia, 218100mm dia, 218400mm dia, 218700mm dia, 219000mm dia, 219300mm dia, 219600mm dia, 219900mm dia, 220200mm dia, 220500mm dia, 220800mm dia, 221100mm dia, 221400mm dia, 221700mm dia, 222000mm dia, 222300mm dia, 222600mm dia, 222900mm dia, 223200mm dia, 223500mm dia, 223800mm dia, 224100mm dia, 224400mm dia, 224700mm dia, 225000mm dia, 225300mm dia, 225600mm dia, 225900mm dia, 226200mm dia, 226500mm dia, 226800mm dia, 227100mm dia, 227400mm dia, 227700mm dia, 228000mm dia, 228300mm dia, 228600mm dia, 228900mm dia, 229200mm dia, 229500mm dia, 229800mm dia, 230100mm dia, 230400mm dia, 230700mm dia, 231000mm dia, 231300mm dia, 231600mm dia, 231900mm dia, 232200mm dia, 232500mm dia, 232800mm dia, 233100mm dia, 233400mm dia, 233700mm dia, 234000mm dia, 234300mm dia, 234600mm dia, 234900mm dia, 235200mm dia, 235500mm dia, 235800mm dia, 236100mm dia, 236400mm dia, 236700mm dia, 237000mm dia, 237300mm dia, 237600mm dia, 237900mm dia, 238200mm dia, 238500mm dia, 238800mm dia, 239100mm dia, 239400mm dia, 239700mm dia, 240000mm dia, 240300mm dia, 240600mm dia, 240900mm dia, 241200mm dia, 241500mm dia, 241800mm dia, 242100mm dia, 242400mm dia, 242700mm dia, 243000mm dia, 243300mm dia, 243600mm dia, 243900mm dia, 244200mm dia, 244500mm dia, 244800mm dia, 245100mm dia, 245400mm dia, 245700mm dia, 246000mm dia, 246300mm dia, 246600mm dia, 246900mm dia, 247200mm dia, 247500mm dia, 247800mm dia, 248100mm dia, 248400mm dia, 248700mm dia, 249000mm dia, 249300mm dia, 249600mm dia, 249900mm dia, 250200mm dia, 250500mm dia, 250800mm dia, 251100mm dia, 251400mm dia, 251700mm dia, 252000mm dia, 252300mm dia, 252600mm dia, 252900mm dia, 253200mm dia, 253500mm dia, 253800mm dia, 254100mm dia, 254400mm dia, 254700mm dia, 255000mm dia, 255300mm dia, 255600mm dia, 255900mm dia, 256200mm dia, 256500mm dia, 256800mm dia, 257100mm dia, 257400mm dia, 257700mm dia, 258000mm dia, 258300mm dia, 258600mm dia, 258900mm dia, 259200mm dia, 259500mm dia, 259800mm dia, 260100mm dia, 260400mm dia, 260700mm dia, 261000mm dia, 261300mm dia, 261600mm dia, 261900mm dia, 262200mm dia, 262500mm dia, 262800mm dia, 263100mm dia, 263400mm dia, 263700mm dia, 264000mm dia, 264300mm dia, 264600mm dia, 264900mm dia, 265200mm dia, 265500mm dia, 265800mm dia, 266100mm dia, 266400mm dia, 266700mm dia, 267000mm dia, 267300mm dia, 267600mm dia, 267900mm dia, 268200mm dia, 268500mm dia, 268800mm dia, 269100mm dia, 269400mm dia, 269700mm dia, 270000mm dia, 270300mm dia, 270600mm dia, 270900mm dia, 271200mm dia, 271500mm dia, 271800mm dia, 272100mm dia, 272400mm dia, 272700mm dia, 273000mm dia, 273300mm dia, 273600mm dia, 273900mm dia, 274200mm dia, 274500mm dia, 274800mm dia, 275100mm dia, 275400mm dia, 275700mm dia, 276000mm dia, 276300mm dia, 276600mm dia, 276900mm dia, 277200mm dia, 277500mm dia, 277800mm dia, 278100mm dia, 278400mm dia, 278700mm dia, 279000mm dia, 279300mm dia, 279600mm dia, 279900mm dia, 280200mm dia, 280500mm dia, 280800mm dia, 281100mm dia, 281400mm dia, 281700mm dia, 282000mm dia, 282300mm dia, 282600mm dia, 282900mm dia, 283200mm dia, 283500mm dia, 283800mm dia, 284100mm dia, 284400mm dia, 284700mm dia, 285000mm dia, 285300mm dia, 285600												

Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.	Veraval transport commissionerate, Gujarat) is attached as under : 
XX	Drilling and blasting operation shall not be carried out.	Blast free eco-friendly machine i.e. Surface Miner is used for excavating the limestone. The noise levels are kept well within the permissible limits by system of condition monitoring of the equipment and well planned maintenance system.
 		
XXI	Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and physiography of the area and report submitted to the Ministry of Environment and Forests and its Regional Office located at Bhopal.	Digital processing of the entire lease area using remote sensing technique is being carried out regularly once in three years, we have engaged Compusense Automation, Ahmadabad for digital processing of entire lease area. Report of the year 2019 has been submitted vide our letter No. ACL/EMD/F10/2020/2093/87093 dtd.02.03.2020
	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p align="center">Ambuja Cement</p> <p>ACL/EMD/F-10/2020/2093/87093 Dtd. : 02.03.2020</p> <p>The Director (a), Ministry of Environment, Forest and Climate Change (MoEF&CC), Regional Office, Western Region, "Kandriya Parvayaran Bhawan", Link Road No-3, New Shankar Nagar, Bhopal (M.P.) 462015.</p> <p>Subject: Submission of report on Digital processing of land use pattern & physiography of the entire lease area using remote sensing technique for our RKBA Limestone Mines.</p> <p>Reference No.: EC-J-11015/221/2008-IA-II (M) dated April 29th 2011</p> <p>Dear Sir,</p> <p>This is with reference to EC granted by your good office vide letter No. - J-11015/221/2008-IA-II (M) dated April 29th 2011 in our Rampara Kukra-Bhatla & Anandipara (RKBA) Limestone Mines Project of M/s Ambuja Cements Limited, located at village(s) Rampara Kukra-Bhatla & Anandipara Limestone Mines Tehsil Veraval and Sukhapada, District Junagadh (Now Or-Somnath), Gujarat.</p> <p>As per the Specific condition No. XX of the Environment Clearance, we are pleased to submit the report on digital processing of land use pattern & physiography of the entire lease area using remote sensing technique conducted in October 2019 as Annexure - I.</p> <p>This is for your kind information and record please.</p> <p>Thanking You,</p> <p>Yours Faithfully, For Ambuja Cements Limited</p> <p> Head-Environment</p> <p>Encl: As above</p> <p>CC: Ministry of Environment, Forest and Climate Change, 3rd Floor, Pratibha Vihar, Indira Park, New Delhi-110003</p> <p><small>Regd. Office: P.O. Ambuja Cement, P.O. No. 14, To. Junagadh, Dist. Junagadh, Gujarat-362001. Phone: 022-25551111, 25551112, 25551113, 25551114, 25551115, 25551116, 25551117, 25551118, 25551119, 25551120, 25551121, 25551122, 25551123, 25551124, 25551125, 25551126, 25551127, 25551128, 25551129, 25551130, 25551131, 25551132, 25551133, 25551134, 25551135, 25551136, 25551137, 25551138, 25551139, 25551140, 25551141, 25551142, 25551143, 25551144, 25551145, 25551146, 25551147, 25551148, 25551149, 25551150, 25551151, 25551152, 25551153, 25551154, 25551155, 25551156, 25551157, 25551158, 25551159, 25551160, 25551161, 25551162, 25551163, 25551164, 25551165, 25551166, 25551167, 25551168, 25551169, 25551170, 25551171, 25551172, 25551173, 25551174, 25551175, 25551176, 25551177, 25551178, 25551179, 25551180, 25551181, 25551182, 25551183, 25551184, 25551185, 25551186, 25551187, 25551188, 25551189, 25551190, 25551191, 25551192, 25551193, 25551194, 25551195, 25551196, 25551197, 25551198, 25551199, 25551200, 25551201, 25551202, 25551203, 25551204, 25551205, 25551206, 25551207, 25551208, 25551209, 25551210, 25551211, 25551212, 25551213, 25551214, 25551215, 25551216, 25551217, 25551218, 25551219, 25551220, 25551221, 25551222, 25551223, 25551224, 25551225, 25551226, 25551227, 25551228, 25551229, 25551230, 25551231, 25551232, 25551233, 25551234, 25551235, 25551236, 25551237, 25551238, 25551239, 25551240, 25551241, 25551242, 25551243, 25551244, 25551245, 25551246, 25551247, 25551248, 25551249, 25551250, 25551251, 25551252, 25551253, 25551254, 25551255, 25551256, 25551257, 25551258, 25551259, 25551260, 25551261, 25551262, 25551263, 25551264, 25551265, 25551266, 25551267, 25551268, 25551269, 25551270, 25551271, 25551272, 25551273, 25551274, 25551275, 25551276, 25551277, 25551278, 25551279, 25551280, 25551281, 25551282, 25551283, 25551284, 25551285, 25551286, 25551287, 25551288, 25551289, 25551290, 25551291, 25551292, 25551293, 25551294, 25551295, 25551296, 25551297, 25551298, 25551299, 25551300, 25551301, 25551302, 25551303, 25551304, 25551305, 25551306, 25551307, 25551308, 25551309, 25551310, 25551311, 25551312, 25551313, 25551314, 25551315, 25551316, 25551317, 25551318, 25551319, 25551320, 25551321, 25551322, 25551323, 25551324, 25551325, 25551326, 25551327, 25551328, 25551329, 25551330, 25551331, 25551332, 25551333, 25551334, 25551335, 25551336, 25551337, 25551338, 25551339, 25551340, 25551341, 25551342, 25551343, 25551344, 25551345, 25551346, 25551347, 25551348, 25551349, 25551350, 25551351, 25551352, 25551353, 25551354, 25551355, 25551356, 25551357, 25551358, 25551359, 25551360, 25551361, 25551362, 25551363, 25551364, 25551365, 25551366, 25551367, 25551368, 25551369, 25551370, 25551371, 25551372, 25551373, 25551374, 25551375, 25551376, 25551377, 25551378, 25551379, 25551380, 25551381, 25551382, 25551383, 25551384, 25551385, 25551386, 25551387, 25551388, 25551389, 25551390, 25551391, 25551392, 25551393, 25551394, 25551395, 25551396, 25551397, 25551398, 25551399, 25551400, 25551401, 25551402, 25551403, 25551404, 25551405, 25551406, 25551407, 25551408, 25551409, 25551410, 25551411, 25551412, 25551413, 25551414, 25551415, 25551416, 25551417, 25551418, 25551419, 25551420, 25551421, 25551422, 25551423, 25551424, 25551425, 25551426, 25551427, 25551428, 25551429, 25551430, 25551431, 25551432, 25551433, 25551434, 25551435, 25551436, 25551437, 25551438, 25551439, 25551440, 25551441, 25551442, 25551443, 25551444, 25551445, 25551446, 25551447, 25551448, 25551449, 25551450, 25551451, 25551452, 25551453, 25551454, 25551455, 25551456, 25551457, 25551458, 25551459, 25551460, 25551461, 25551462, 25551463, 25551464, 25551465, 25551466, 25551467, 25551468, 25551469, 25551470, 25551471, 25551472, 25551473, 25551474, 25551475, 25551476, 25551477, 25551478, 25551479, 25551480, 25551481, 25551482, 25551483, 25551484, 25551485, 25551486, 25551487, 25551488, 25551489, 25551490, 25551491, 25551492, 25551493, 25551494, 25551495, 25551496, 25551497, 25551498, 25551499, 25551500, 25551501, 25551502, 25551503, 25551504, 25551505, 25551506, 25551507, 25551508, 25551509, 25551510, 25551511, 25551512, 25551513, 25551514, 25551515, 25551516, 25551517, 25551518, 25551519, 25551520, 25551521, 25551522, 25551523, 25551524, 25551525, 25551526, 25551527, 25551528, 25551529, 25551530, 25551531, 25551532, 25551533, 25551534, 25551535, 25551536, 25551537, 25551538, 25551539, 25551540, 25551541, 25551542, 25551543, 25551544, 25551545, 25551546, 25551547, 25551548, 25551549, 25551550, 25551551, 25551552, 25551553, 25551554, 25551555, 25551556, 25551557, 25551558, 25551559, 25551560, 25551561, 25551562, 25551563, 25551564, 25551565, 25551566, 25551567, 25551568, 25551569, 25551570, 25551571, 25551572, 25551573, 25551574, 25551575, 25551576, 25551577, 25551578, 25551579, 25551580, 25551581, 25551582, 25551583, 25551584, 25551585, 25551586, 25551587, 25551588, 25551589, 25551590, 25551591, 25551592, 25551593, 25551594, 25551595, 25551596, 25551597, 25551598, 25551599, 25551600, 25551601, 25551602, 25551603, 25551604, 25551605, 25551606, 25551607, 25551608, 25551609, 25551610, 25551611, 25551612, 25551613, 25551614, 25551615, 25551616, 25551617, 25551618, 25551619, 25551620, 25551621, 25551622, 25551623, 25551624, 25551625, 25551626, 25551627, 25551628, 25551629, 25551630, 25551631, 25551632, 25551633, 25551634, 25551635, 25551636, 25551637, 25551638, 25551639, 25551640, 25551641, 25551642, 25551643, 25551644, 25551645, 25551646, 25551647, 25551648, 25551649, 25551650, 25551651, 25551652, 25551653, 25551654, 25551655, 25551656, 25551657, 25551658, 25551659, 25551660, 25551661, 25551662, 25551663, 25551664, 25551665, 25551666, 25551667, 25551668, 25551669, 25551670, 25551671, 25551672, 25551673, 25551674, 25551675, 25551676, 25551677, 25551678, 25551679, 25551680, 25551681, 25551682, 25551683, 25551684, 25551685, 25551686, 25551687, 25551688, 25551689, 25551690, 25551691, 25551692, 25551693, 25551694, 25551695, 25551696, 25551697, 25551698, 25551699, 25551700, 25551701, 25551702, 25551703, 25551704, 25551705, 25551706, 25551707, 25551708, 25551709, 25551710, 25551711, 25551712, 25551713, 25551714, 25551715, 25551716, 25551717, 25551718, 25551719, 25551720, 25551721, 25551722, 25551723, 25551724, 25551725, 25551726, 25551727, 25551728, 25551729, 25551730, 25551731, 25551732, 25551733, 25551734, 25551735, 25551736, 25551737, 25551738, 25551739, 25551740, 25551741, 25551742, 25551743, 25551744, 25551745, 25551746, 25551747, 25551748, 25551749, 25551750, 25551751, 25551752, 25551753, 25551754, 25551755, 25551756, 25551757, 25551758, 25551759, 25551760, 25551761, 25551762, 25551763, 25551764, 25551765, 25551766, 25551767, 25551768, 25551769, 25551770, 25551771, 25551772, 25551773, 25551774, 25551775, 25551776, 25551777, 25551778, 25551779, 25551780, 25551781, 25551782, 25551783, 25551784, 25551785, 25551786, 25551787, 25551788, 25551789, 25551790, 25551791, 25551792, 25551793, 25551794, 25551795, 25551796, 25551797, 25551798, 25551799, 25551800, 25551801, 25551802, 25551803, 25551804, 25551805, 25551806, 25551807, 25551808, 25551809, 25551810, 25551811, 25551812, 25551813, 25551814, 25551815, 25551816, 25551817, 25551818, 25551819, 25551820, 25551821, 25551822, 25551823, 25551824, 25551825, 25551826, 25551827, 25551828, 25551829, 25551830, 25551831, 25551832, 25551833, 25551834, 25551835, 25551836, 25551837, 25551838, 25551839, 25551840, 25551841, 25551842, 25551843, 25551844, 25551845, 25551846, 25551847, 25551848, 25551849, 25551850, 25551851, 25551852, 25551853, 25551854, 25551855, 25551856, 25551857, 25551858, 25551859, 25551860, 25551861, 25551862, 25551863, 25551864, 25551865, 25551866, 25551867, 25551868, 25551869, 25551870, 25551871, 25551872, 25551873, 25551874, 25551875, 25551876, 25551877, 25551878, 25551879, 25551880, 25551881, 25551882, 25551883, 25551884, 25551885, 25551886, 25551887, 25551888, 25551889, 25551890, 25551891, 25551892, 25551893, 25551894, 25551895, 25551896, 25551897, 25551898, 25551899, 25551900, 25551901, 25551902, 25551903, 25551904, 25551905, 25551906, 25551907, 25551908, 25551909, 25551910, 25551911, 25551912, 25551913, 25551914, 25551915, 25551916, 25551917, 25551918, 25551919, 25551920, 25551921, 25551922, 25551923, 25551924, 25551925, 25551926, 25551927, 25551928, 25551929, 25551930, 25551931, 25551932, 25551933, 25551934, 25551935, 25551936, 25551937, 25551938, 25551939, 25551940, 25551941, 25551942, 25551943, 25551944, 25551945, 25551946, 25551947, 25551948, 25551949, 25551950, 25551951, 25551952, 25551953, 25551954, 25551955, 25551956, 25551957, 25551958, 25551959, 25551960, 25551961, 25551962, 25551963, 25551964, 25551965, 25551966, 25551967, 25551968, 25551969, 25551970, 25551971, 25551972, 25551973, 25551974, 25551975, 25551976, 25551977, 25551978, 25551979, 25551980, 25551981, 25551982, 25551983, 25551984, 25551985, 25551986, 25551987, 25551988, 25551989, 25551990, 25551991, 25551992, 25551993, 25551994, 25551995, 25551996, 25551997, 25551998, 25551999, 25552000, 25552001, 25552002, 25552003, 25552004, 25552005, 25552006, 25552007, 25552008, 25552009, 25552010, 25552011, 25552012, 25552013, 25552014, 25552015, 25552016, 25552017, 25552018, 25552019, 25552020, 25552021, 25552022, 25552023, 25552024, 25552025, 25552026, 25552027, 25552028, 25552029, 25552030, 25552031, 25552032, 25552033, 25552034, 25552035, 25552036, 25552037, 25552038, 25552039, 25552040, 25552041, 25552042, 25552043, 25552044, 25552045, 25552046, 25552047, 25552048, 25552049, 25552050, 25552051, 25552052, 25552053, 25552054, 25552055, 25552056, 25552057, 25552058, 25552059, 25552060, 25552061, 25552062, 25552063, 25552064, 25552065, 25552066, 25552067, 25552068, 25552069, 25552070, 25552071, 25552072, 25552073, 25552074, 25552075, 25552076, 25552077, 25552078, 25552079, 25552080, 25552081, 25552082, 25552083, 25552084, 25552085, 25552086, 25552087, 25552088, 25552089, 25552090, 25552091, 25552092, 25552093, 25552094, 25552095, 25552096, 25552097, 25552098, 25552099, 25552100, 25552101, 25552102, 25552103, 25552104, 25552105, 25552106, 25552107, 25552108, 25552109, 25552110, 25552111, 25552112, 25552113, 25552114, 25552115, 25552116, 25552117, 25552118, 25552119, 25552120, 25552121, 25552122, 25552123, 25552124, 25552125, 25552126, 25552127, 25552128, 25552129, 25552130, 25552131, 25552132, 25552133, 25552134, 25552135, 25552136, 25552137, 25552138, 25552139, 25552140, 25552141, 25552142, 25552143, 25552144, 25552145, 25552146, 25552147, 25552148, 25552149, 25552150, 25552151, 25552152, 25552153, 25552154, 25552155, 25552156, 25552157, 25552158, 25552159, 25552160, 25552161, 25552162, 25552163, 25552164, 25552165, 25552166, 25552167, 25552168, 25552169, 25552170, 25552171, 25552172, 25552173, 25552174, 25552175, 25552176, 25552177, 25552178, 25552179, 25552180, 25552181, 25552182, 25552183, 25552184, 25552185, 25552186, 25552187, 25552188, 25552189, 25552190, 25552191, 25552192, 25552193, 25552194, 25552195, 25552196, 25552197, 25552198, 25552199, 25552200, 25552201, 25552202, 25552203, 25552204, 25552205, 25552206, 25552207, 25552208, 25552209, 25552210, 25552211, 25552212, 25552213, 25552214, 25552215, 25552216, 25552217, 25552218, 255522</small></p></div></div>	

Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	Resettlement and Rehabilitation of project Affected Families (NPRR)/State Government norms.	We ensure that landlooser must have ownership of alternate land and for that we provide advance and other helps.
XXIII	Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Not applicable.
XXIV	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	There is no residential colony at mine site. However, township is located at Ambujanagar, where 1500 m ³ /day capacity Sewage Treatment Plant is established. At workshop baffle type oil & grease separation system has been provided, treated water from oil & grease separation system is being used for dust suppression.
XXV	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly	Pre-placement medical examination and periodical medical examination of the workers engaged in the project is being carried out regularly and record is maintained.

<p>SATISA MOHANTY, Emp. No. 201007 (Mine)</p> <p align="center">FORM - M (See Rule 29 D)</p> <p align="center">Notice of initial/periodical medical examination under rule 29 B</p> <p>No. _____ Date: _____</p> <p>Shri/Smt. <u>SATISA MOHANTY</u> Nature of employment <u>GEOLOGIST</u> serial number from B register 411 Son/Daughter/Wife of <u>UTKALRAJAN MOHANTY</u> is hereby notified the he/she should present himself/herself for an initial/periodical medical examination under Rule 29B of the Mines Rules, 1955 before _____ (give date) at <u>AMBUJA HOSPITAL</u> (give time) _____ (give time)</p> <p>Shri/Smt. <u>SATISA MOHANTY</u> may note that if he/she fails, without reasonable cause, to submit himself/herself for the medical examination aforesaid he/she shall not be eligible for appointment/continuance in employment in the Mines from <u>RKBA LIMESTONE MINES</u></p> <p>Shri/Smt. <u>SATISA MOHANTY</u> may further note that he/she should bring with him/her three untested photographs of himself/herself and the previous medical certificate in Form O, if any, issued to him/her under Rule 29 F.</p> <p align="right">Signature of Manager _____ Manager RKBA Limestone Mines Ambujanagar, Dist. Guntur, Andhra Pradesh</p> <p><small>Delete whatever is not applicable. Necessary only in case of person already employed in the Mine. In respect of initial medical examination of person already employed in a mine in respect of every periodical medical examination at least twenty days prior notice is to be given. In respect of the initial medical examination or a person seeking employment at a mine, the period of notice may be shorter. Note: A copy of the notice shall be sent to the examining authority concerned. In the case of periodical medical examination the copy of medical certificate in Form-O shall also be sent.</small></p>	<p>SATISA MOHANTY, Emp. No. 201007 (Mine)</p> <p align="center">FORM - O (See Rule 29 F(2) and 29 L)</p> <p align="center">Report of Medical Examination under Rule 29B (To be issued in triplicate)</p> <p>Certificate No. _____</p> <p>Certificate that Shri/Smt. <u>SATISA MOHANTY</u> employed as <u>GEOLOGIST</u> in <u>RKBA LIMESTONE MINES</u>, Form S No 41 has been examined for an initial/periodical medical examination. He/She appears to be <u>DOB 27.07.1988</u> Years of age. The findings of the examining authority are given in the attached sheet. It is considered that Shri/Smt. <u>SATISA MOHANTY</u> (s) is medically fit for any employment in mines.</p> <p>* (b) is suffering from _____ and is medically unfit for: (i) any employment in mine; or (ii) any employment below ground; or (iii) any employment of work _____</p> <p>(c) is suffering from _____ and should be again examined within a period of _____ months. "He/She" will appear for re-examination with the result of test of _____ and the opinion of _____ specialist from _____ "He/She" may be permitted/restricted to _____ duties during this period.</p> <p align="center"> Name and Designation in Block: _____ Letters: _____</p> <p>Place: _____ Date: _____</p> <p><small>* Delete whatever not applicable. One copy of the certificate shall be handed over to the person concerned, and another copy shall be sent to Manager of the mine concerned by register post, and the third copy shall be retained by the examining authority.</small></p>	<p>SATISA MOHANTY, Emp. No. 201007 (Mine)</p> <p align="center">REPORT OF THE EXAMINING AUTHORITY (To be filed in to every medical examination whether initial or periodical or re-examination or after resumption of duty)</p> <p>Annexure to Certificate No. _____ as a result of Medical Examination _____</p> <p>Identification mark: _____</p> <p align="right">Left thumb impression of the candidate</p> <p>1. General development: Good/Fair/Poor</p> <p>2. Height <u>74</u> Cms. 3. Weight <u>77</u> Kgs.</p> <p>3. Eyes: (i) Visual acuity/Distant vision (with or without glasses) <u>DR - 6/6 C/M</u> <u>20/20</u> <u>6/6</u> <u>20/20</u> Right eye <u>20/20</u> <u>6/6</u> Left eye <u>20/20</u> <u>6/6</u> (ii) any organic disease of eyes <u>Nil</u> (iii) night blindness <u>Nil</u> (iv) colour blindness <u>Nil</u> (v) Squint <u>Nil</u> ("To be tested in special cases")</p> <p>4. Ears: (i) Hearing: Right ear <u>100</u> Cms. Left ear <u>100</u> Cms. (ii) any organic disease <u>Nil</u></p> <p>5. Respiratory system: Chest measurement: (i) after full inspiration <u>106</u> Cms. (ii) after full expiration <u>103</u> Cms.</p> <p>6. Circulatory system: Blood pressure <u>100/80 mm Hg</u> Pulse <u>80/min</u></p> <p>7. Abdomen: Tenderness _____ Liver _____ Spleen _____ Tumour _____</p>
--	---	---

XXVI	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	There is no project work/construction work at mines area and thus there is no such requirement. However, whenever such requirement will be generated, provision will be set up.
XXVII	The critical parameters such as RSPM (Particulate matter with size less than 10 µm i.e., PM ₁₀), NOX in	Ambient Air quality monitoring and water quality monitoring is being done regularly and report is

Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	the ambient air within the impact zone, shall be monitored periodically, Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The Circular No. J-20012/1/2006~IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	submitted to GPCB & MoEF&CC. Results of Air & Water quality monitoring is being uploaded on the website of the company as well as displayed on a display board at the project site near mines office. The Ambient Air quality monitoring results for past 6 Months for PM10, PM2.5, SO2, NOx and CO are enclosed as under.													
Ambient Air Quality Monitoring Results															
(October 2022 - March 2023)															
	Working Place					Mines Office					Kukaras Village				
	PM2.5	PM10	SO2	NOx	CO	PM2.5	PM10	SO2	NOx	CO	PM2.5	PM10	SO2	NOx	CO
Unit	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)
Oct-22	28.90	36.20	12.60	10.60	BDL	26.10	35.70	11.50	13.50	BDL	26.80	37.60	14.60	12.80	BDL
	29.70	36.90	10.50	16.20	BDL	30.10	35.70	13.60	15.00	BDL	28.50	38.60	15.90	13.40	BDL
Nov-22	27.20	39.50	13.20	11.40	BDL	28.50	40.20	10.90	13.80	BDL	24.60	33.50	14.60	12.40	BDL
	27.50	37.40	11.20	15.20	BDL	28.40	36.50	12.20	13.20	BDL	29.20	31.20	14.30	14.50	BDL
Dec-22	26.60	40.30	11.60	10.50	BDL	27.90	39.80	10.70	11.60	BDL	23.60	36.40	12.40	13.40	BDL
	28.40	37.50	15.60	14.50	BDL	27.60	35.80	13.80	12.90	BDL	25.40	38.70	14.20	16.50	BDL
Jan-23	24.70	38.70	10.50	11.20	BDL	28.90	36.50	11.60	9.80	BDL	25.60	40.20	16.50	17.50	BDL
	24.90	36.50	12.30	9.80	BDL	22.60	33.20	11.90	11.50	BDL	27.50	40.30	18.20	16.70	BDL
Feb-23	27.20	37.40	11.70	14.30	BDL	29.40	35.60	12.90	12.70	BDL	27.50	37.40	13.50	16.70	BDL
	26.70	40.50	11.50	11.50	BDL	29.10	39.20	16.70	13.90	BDL	28.40	37.40	19.50	18.70	BDL
Mar-23	26.50	38.10	12.30	12.10	BDL	27.10	36.50	14.20	14.90	BDL	23.90	34.50	12.90	15.70	BDL
	27.50	41.30	12.30	12.50	BDL	28.30	38.50	14.80	14.10	BDL	26.50	39.70	15.20	15.90	BDL
Month	Anandapara Village					Bhetali Village					Rampara Village				
	PM2.5	PM10	SO2	NOx	CO	PM2.5	PM10	SO2	NOx	CO	PM 2.5	PM 10	SO2	NOx	CO
Unit	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(mg/m3)
Oct-22	25.10	32.50	13.50	14.70	BDL	23.60	39.50	16.80	19.50	BDL	27.60	32.80	18.70	16.20	BDL
	26.70	33.20	15.70	18.70	BDL	24.50	30.50	14.20	14.60	BDL	21.60	38.60	13.20	19.20	BDL
Nov-22	29.40	38.40	12.70	13.20	BDL	26.50	36.50	12.50	16.50	BDL	28.90	40.20	16.20	17.50	BDL
	25.40	38.40	16.20	11.90	BDL	26.40	32.50	15.20	17.40	BDL	23.10	34.60	14.20	15.30	BDL
Dec-22	28.70	37.60	15.40	15.70	BDL	22.40	35.10	17.70	14.30	BDL	26.50	37.40	12.40	12.70	BDL
	30.20	36.40	11.50	15.70	BDL	28.70	35.40	12.70	17.20	BDL	29.20	33.90	13.40	16.30	BDL
Jan-23	27.30	35.70	13.80	12.40	BDL	29.50	39.60	12.40	13.30	BDL	22.60	34.50	14.20	16.80	BDL
	26.20	41.30	13.70	13.50	BDL	22.50	39.50	16.40	12.80	BDL	24.60	38.10	8.90	14.20	BDL
Feb-23	26.10	39.10	14.50	11.90	BDL	25.90	38.10	15.30	12.50	BDL	28.40	40.20	16.50	13.70	BDL
	25.30	36.20	17.30	16.50	BDL	28.10	38.70	15.50	19.30	BDL	24.70	35.70	13.40	16.30	BDL
Mar-23	27.50	40.20	13.50	13.50	BDL	24.80	41.30	14.10	14.20	BDL	25.60	42.50	15.40	12.50	BDL
	24.30	35.30	16.70	17.30	BDL	25.30	37.50	13.10	15.20	BDL	28.50	36.80	14.20	14.30	BDL
XXVIII	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.					Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.									



**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

B. General conditions		
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	We are following the same mining practices through state of art Surface Miner as proposed. In case of any change in the mining technology and scope of working, we will take prior approval from Ministry of Environment, Forest & Climate Change.
(ii)	No change in the calendar plan including excavation, quantum of mineral limestone and waste should be made.	Point Noted
(iii)	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife department and effectively implemented.	"Status of Biodiversity (Flora & Fauna) in core and buffer zone areas of RKBA Limestone Mine Lease (310.329ha) study area is prepared by Gujarat Institute of Desert Ecology-Kutchh" and the same has been submitted to the office of the PCCF and the concurrence is obtained. Report submitted to MoEF&CC vide letter no. ACL/EMD/F16/2010/55293 dated 25.12.2010.
(iv)	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 micron i.e., PM10) and NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Six ambient air quality-monitoring stations have been established in the core zone as well as in the buffer zone. The locations of the monitoring stations are decided in consultation with GPCB and renowned consultant Shri B Padmanabh Murthy, Professor of JNU and former Director of IMD Met-Dept on 5th and 6th Jan 2008. Ambient air quality is being monitored regularly and report is being regularly submitted to GPCB & MoEF&CC. The Ambient Air quality monitoring results for past 6 Months for PM ₁₀ , PM _{2.5} , SO ₂ , NOx and CO are enclosed in reply of Condition No. XXVII as above.
(v)	Data on ambient air quality RSPM (Particulate matter with size less than 10 micron i.e., PM10) & NOx should be regularly submitted to the Ministry of Environment and Forests including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Ambient air quality is being monitored regularly and report is being regularly submitted to GPCB & MoEF&CC. Last submission was on 18.11.2022 vide letter No . ACL/EMD/F-16/2022/2689
(vi)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water tankers have been deployed for regular sprinkling of water on haul roads to prevent fugitive dusting in mines area. Air quality monitoring is being done regularly and conform the norms prescribed by GPCB.
(vii)	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc, should be provided with ear plugs / muffs.	Blast free eco-friendly machine i.e. Surface Miner is used for excavating the limestone. The noise levels are kept well within the permissible limits by system of condition monitoring of the



Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	equipment and well planned maintenance system. Ambient noise monitoring as well as HEMM noise monitoring report is enclosed for October'2022 to March'2023 as under (a) & (b) :														
(a)	Ambient Noise Level Monitoring - RKBA Limestone Mines (October-22 to March-23)														
	Month	Noise Levels in dB(A)													
		Near Surface Miner		Haul road		Mines Office		Rampara Village		Kukaras Village		Bhetali Village		Anandapara Village	
		Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)
	Oct-22	67	57	65	59	59	55	47	39	49	37	47	42	49	39
	Nov-22	61	59	58	59	55	54	48	39	49	39	49	42	45	38
	Dec-22	68	63	69	61	61	54	53	53	58	52	59	54	59	52
	Jan-23	67	63	67	62	55	53	57	53	53	50	53	49	55	52
	Feb-23	68	67	63	55	67	61	52	37	47	38	49	39	50	45
	Mar-23	61	58	65	59	56	55	59	55	50	39	49	39	49	45
(b)	Noise Level of HEMM - RKBA Limestone Mines (October 2022 - March 2023)														
	Machine	Surfaec Miner				Loader				Dozer					
	Month	Conditions	Noise Levels (dB)		Conditions	Noise Levels (dB)		Conditions	Noise Levels (dB)						
			At 5m.	At 10m.		At 5m.	At 10m.		At 5m.	At 10m.					
			Leq	Leq		Leq	Leq		Leq	Leq					
	Oct-22	While dozing the material	68	61	While loading to tipper	68	66	While mining	71	67					
	Nov-22		69	61		68	65		69	63					
	Dec-22		68	63		68	63		73	69					
	Jan-23		73	64		63	60		64	60					
	Feb-23		66	59		73	67		67	65					
	Mar-23		65	66		70	69		69	65					
(viii)	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.							'No waste water generation from Mines' only negligible amount of waste water is generated from workshop, which is being treated at baffle type oil and grease separation system and treated water is being used for plantation/greenbelt development.							
(ix)	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.							Dust Masks, Safety Shoes, Safety Goggles & Helmet are provided to each & every personnel working in the mine area. Periodic Health check up is being done for personnel working in mines area. Work area monitoring for air borne dust is carried out regularly on monthly basis, monitoring results for October'2022 to March'2023 are enclosed as under :							
Air Borne Dust Survey - RKBA Limestone Mines (October 2022 - March 2023)															
Machine : Surface Miner				Machine : Dozer				Machine : Loader							
Date	Period	Location	RSPM (mg/m3)	Date	Period	Location	RSPM (mg/m3)	Date	Period	Location	RSPM (mg/m3)				
10-Oct-22	14:00 - 22:00	Inside Cabin	0.37	11-Oct-22	14:00 - 22:00	Inside Cabin	0.34	12-Oct-22	14:00 - 22:00	Inside Cabin	0.35				
17-Nov-22	06:00 - 14:00		0.39	18-Nov-22	06:00 - 14:00		0.37	19-Nov-22	06:00 - 14:00		0.36				
26-Dec-23	14:00 - 22:00		0.39	27-Dec-22	14:00 - 22:00		0.27	28-Dec-23	14:00 - 22:00		0.31				
12-Jan-23	06:00 - 14:00		0.37	13-Dec-22	06:00 - 14:00		0.32	14-Jan-23	06:00 - 14:00		0.35				
09-Feb-23	14:00 - 22:00		0.33	10-Feb-23	14:00 - 22:00		0.31	11-Feb-23	14:00 - 22:00		0.38				
06-Mar-23	06:00 - 14:00		0.38	07-Mar-23	06:00 - 14:00		0.41	08-Mar-23	06:00 - 14:00		0.38				
x	A separate environmental management cell with							A well established Environmental Management							



Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Division (EMD) with suitable qualified personnel is in place. Head of environmental management cell directly report to the Works Head of the organization. EMD organization chart is enclosed as under
		<p align="center">Organization Chart</p> <pre> graph TD UH[Unit Head] --> HE[Head Environment] HE --> AME[Assistant Manager - Environment] HE --> V[vacant] </pre>
xi	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Bhopal.	Details of capital and recurring expenditure for environmental protection measures are enclosed as under :

Expenditure incurred in Environment Management Plan RKBA Mines		
S.No	Particulars	Cost (In Lacs)
1	Monitoring Equipments	37.08
2	Environment Laboratory	10
3	Others (Monitoring Van, DG Sets etc.)	10
	Total (In Lacs INR)	57.08
B. Recurring Expenditure for the period of October'2022 to March'2023		
S.No	Particulars	Cost (In Lacs)
1	Green belt development & Dust suppression	26.39
2	Manpower Cost *	13.15
3	House Keeping	1.93
4	Other Env. Protection (Environmental Monitoring)	1.33
5	Environment Awareness *	1.43
	Total (In Lacs INR)	44.23
* Expenditures are Common for All the Plants & Mines.		

Ambuja Cement Foundation - Ambujanagar Details for programme wise expenditure for the year October 2022 to March 2023 (Rs. In lakhs)						
Sr.No	Programme	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	****Direct Funding to Communities
	GUJARAT - Kodinar					
1	Water Resource Management & Drinking Water Projects					
	a. Water Resource Development	11.05	0.00			11.05
	B. Drinking Water Programme	2.75			3.30	6.05
2	Agriculture Development(Drip Irrigation, Farm Forestry & Afforestation)	37.03			191.35	233.95
3	BCI	28.33	1.54	221.84	297.00	396.06
4	Krishi Vigyan Kendra (KVK) - Agriculture	1.87	133.47			135.34
5	Health & Sanitation	12.25			8.27	20.52
6	Education Programme	7.75				7.75
7	Women / Youth Development	21.15				21.15
8	Skill and Enterprunership Development Programme	38.78	38.83		26.74	104.35
9	Integrated Community Development Programme	81.21				81.21
10	Co-ordination & Administration Expenses					0.00
11	Capital Expenditure					0.00
	TOTAL	242.17	173.84	221.84	526.66	630.01

xii	The project authorities should inform to the Regional Office located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Informed vide letter 16.07.2005 and first compliance report was submitted on 26.07.2006.
xiii	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Point noted and being complied. Full support and co-operation is being extended during the visit of officers from Ministry of Environment & Forest, CPCB as well as GPCB
xiv	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Office Bhopal, the	Half yearly compliance status report is being regularly submitted to MoEF Bhopal & Central Pollution Control Board. Last submission was on 18.11.2022 vide letter No . ACL/EMD/F-16/2022/2689



Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011

	respective Zonal Office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhopal, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board.	
xv	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	A copy of clearance letter has been sent to Panchayat, Zila Parisad / Municipal Corporation, Urban Local Body as applicable.
xvi	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.	GPCB is the concern authority for the same.
xvii	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhopal by e-mail.	Environmental statement is being regularly submitted to concern authority for each financial year. Last Environment Statement submitted on 07.07.2022 vide letter no. ACL/EMD/F22/2022/2595/60674 .
xviii	The project authorities should advertise at least in two local newspapers of the District or State in the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to RO Bhopal.	Point noted and complied.
7	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Point noted
8	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	All the conditions mentioned in the EC are being complied with.
9	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control Of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/High Court of Gujarat and any other Court of Law relating to the subject matter.	All stipulations under Water (Prevention and Control of pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment Protection Act, 1986, Hazardous waste Rules, 1989 are being complied. Hazardous waste being stored at designated place and collection and transportation is being done by state pollution control board authorized recyclers for recycling purpose.



**Compliance Status of Environment Clearance issued to RKBA Limestone Mines
Vide MoEF&CC Letter No: J-11015/221/2008-IA-II (M) dated 04.03.2011**

Compliance Status of Environmental Clearance No. J-11015/221/2008- IA. II (M) dated 05.08.2021 issued to RKBA Limestone Mines [EC Amendment]		
1	PP must undertake plantation in this monsoon and complete the plantation in the peripheral area within the year with 3 m sampling and 2m x 2m distancing and submit the report accordingly within a year to the ministry.	The mass plantation drive was organized, saplings were planted in the Mines peripheral area. So far, a total of 12,985 trees have been planted at periphery area covered 15.505 ha and plantation drive is in progress.
2	Out of 19 pits, 13 pits are in operation. Therefore, PP must submit the mine closure plan for 6 pits which are not in operation and must submit the action taken within a year to the ministry.	There may Probability of availability of mineral in the remaining pits which may be confirmed after bore hole drilling. Hence this pits cannot be closed and closer plan cannot be submitted till mineral reserves are extracted.
3	PP said that adjacent to mining, the surrendered mine was observed in the KML file also belongs to M/s Ambuja Cements Limited so PP must take up activity to complete the plantation in the surrendered area within a year. It is assumed that the ownership is going to mine lease owner.	The land is surrendered by Ambuja Cements Ltd. And is Government Land (GAUCHAR LAND). It's a grazing land used by villagers.
4	The water should be utilized for the benefit of the nearby villagers. Suitable water quality must be maintained and utilize the same.	The Pit water is used for recharging the ground water table water quality is always well maintained and villagers also use for agriculture purpose.
5	Follow the methodology given by IBM for approving mining plan and maintain the slope as well as the benches as mentioned in the approved mining plan.	The Mine is operated by using the methodology given by IBM as per approved mining plan The mine working is systematically done as per the plan.

