Additional Director,
Regional Office (North Central Zone),
Ministry of Environment, Forests & Climate Change,
Government of India
25, Subhash Road, Dehradun - 248001

Kind Attn: Dr. Bhardwaj Adiraju

Sub: Half Yearly compliance of conditions of Environmental Clearance.

Dear Sir,

This has reference to the Environmental Clearance granted to our plant by MoEFCC vide letter no. J-11011/173/2008-IA II (I) dated August 22, 2008. We are sending a point-wise status report from October 2020 to March 2021 on compliance of the stipulated environmental conditions/safeguards of Environmental clearance letter referred above along with Cement Production from October 2020 to March 2021 as Annexure - 8 through e-mail address: moef.ddn@gov.in with a request to kindly acknowledge the receipt through return mail.

Hope you will find the information in order.

Thanking you.

Yours faithfully, for Ambuja Cements Limited (Unit: Nalagarh)

[Arun Kumar Jha] Sr. Vice President

Encl: As above

CC - The Member Secretary, H.P. State Pollution Control Board, Him Parivesh', Phase-III, New Shimla, Shimla-171009, HP

Regional Officer, HP State Pollution Control Board, -Hard Copy Baddi, Distt. Solan (H.P.)

Additional Director
Central Pollution Control Board Regional Directorate (North) - Hard Copy
PICUP Bhawan, Vibhuti Khund, Gomti Nagar
Lucknow - 226010

AMBUJA CEMENTS LIMITED

(Unit - Nalagarh)

Village Navagraon, P.O. Jajhra, Teh. Nalagarh, Distt. Solan - 174 101 (H.P.)

Telefax: 01795-662702, Website: www.ambujacement.com

Regd. Off.: P. O. Ambuja Nagar, Taluka - Kodinar, Distt. Gir Somnath, Gujarat - 362715

CIN No.: L26942GJ1981PLC004717

Compliance of Conditions of Environment Clearance

Name of the Project: Ambuja Cements Ltd., Village Navagraon, P.O. Jajhra, Tehsil Nalagarh, Distt. Solan (H.P.) - 174101

Clearance letter No.: J-11011/173/2008-IA-II(I) dated 22 August 2008

Period of Compliance: October 2020 to March 2021

SI. No.	Condition	Compliance Status
ı	The particulate matter emissions from various sources shall not exceed 50 mg/Nm3. The fugitive emissions during loading and unloading shall be suitably controlled. Bag house/ filters shall be provided to control air emissions to achieve the prescribed standards.	To achieve the prescribed standards of Ambient air and Stack emissions, 27 Nos. of Bag filters and one main Bag House have been installed
	The locations of ambient air quality monitoring stations shall be set up as per statutory requirement in consultation with the Himachal Pradesh Pollution Control Board (HPPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated.	Six Ambient Air quality monitoring stations have been fixed and the report is submitted to State Pollution Control Board on monthly basis. Ambient Air quality monitoring is done on regular basis at all six locations. Ambient Air Quality monitoring was conducted by M/s Shri Om Testing and Research Laboratory, a NABL laboratory from 24 th to 26 th February 2021 for all the six and the results are found to be varying from 69 ug/m³ to 78 ug/m³ for PM10 and 27.7 ug/m³ to 38.0 ug/m³ for PM2.5. All other parameters are also within the prescribed limits. Reports enclosed as Annexure – 2
iii	The company shall obtain permission for drawl of 400 m3/day ground water from the Central Ground Water Authority/ Central Ground Water Board and copy of the same shall be submitted to the ministry and its	Required permission has been obtained and a copy of permission letter was submitted to the Regional office of MoEF, at Chandigarh vides our letter dated 22 nd June 2010.

Page 1 of 5

	Regional Office at Chandigarh within three months from the date of issue of this letter.	are registered with HP Ground Water Authority and required permission of Water withdrawal has		
iv	Green belt shall be developed at least in 33% of plant area to mitigate the effect of fugitive emissions all around the plant as per the guidelines of Central Pollution Control Board.	Provision has been kept for development of Green Belt. We have planted about 7351 Trees and 37023 Shrubs up to March 2021. Total green cover is more than 33% of the plant area. Detail of plantation done up to March 2021 enclosed as		
V	The project authorities shall transport the raw materials and cement in covered means to avoid fugitive emission during transport.	Annexure – 3 All the raw materials and Cemer are transported in covered trucks to avoid fugitive emission during transportation.		
vi	No clinker manufacturing facility shall be installed by the company	Clinker manufacturing facility has not been installed.		
vii	All the recommendations mentioned in the CREP guidelines for the cement plants shall be followed and complied.	All the recommendations mentioned in CREP guidelines for Cement plants are followed and complied. Compliance status enclosed as Annexure – 4		
	GENERAL CONDITIONS	Alliexare – 4		
i	The project authorities shall strictly adhere to the stipulations of the SPCB/ state government or any other statutory body.	All stipulations of SPCB/ State Government and other statutory bodies are being complied and shall be taken care in future also.		
	All other necessary statutory clearances from the concerned Departments including "No Objection Certificate" from the Himachal Pradesh Pollution Control Board (HPPCB) shall be obtained prior to commencement of construction and/ or operation.	No Objection Certificate was obtained from HPPCB vides letter no. PCB(1114) Ambuja Cement Navagraon/6-13867-73 dated 27/09/2008 All other Statutory		
iii	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Any expansion or modifications in the plant shall be carried out only after obtaining prior approval of the Ministry of Environment, Forest and Climate Change.		
	CO classics	sents (In		

Rage 2 of 5

iv	At no time, the emissions shall exceed the prescribed limits. In the event of failure or any pollution control system adopted by the unit, the unit shall be immediately put out or operation and shall not be restarted until the desired efficiency has been achieved.	been provided which shall automatically trip off the mill in case
V	The gaseous emissions (So ₂ , No _x) and particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time.	not applicable in case of stack
vi	The company shall undertake following Was	te Minimization massures
	raw materials or as raw material substitutes in other processes.	No by-product boing gonerated for
	Use of "Close pneumatic" system for transport of fine material.	All fine materials are transported in closed systems to avoid any leakage/spillage.
	All venting systems shall be connected with dust arresting equipments.	All the material transfer points and venting systems are equipped with Bag Filters.
	Dust collect in pollution control equipments shall be reused.	Dust collected in pollution control equipment is automatically recycled in the respective process.
vii	Fugitive emissions in the work zone environment, product and raw materials storage area shall be regularly monitored. The emissions shall conform to the limits imposed by the State Pollution Control Boards/Central Pollution Control Boards.	Fugitive emissions in work zone environment, product and raw materials storage area is regularly monitored and are conforming to the prescribed norms. Last monitoring conducted by M/s Shri Om Testing and Research Laboratory, a NABL laboratory on 24 th February 2021 at Packing and Loading floors, Gypsum Storage area and Flyash Handling area. The results found between 1160 ug/M³ to 4600 ug/M³. Apart from this Work area dust exposure was also monitored and the results were 4.9 mg/M³ at Gypsum feeding operator, 2.80 mg/M³ at Material Gate person and 6.30 mg/M³ at Packer operator respectively. All the results found to be within the prescribed norms. Reports enclosed as Annexure- 5A and Annexure - 5B respectively.

viii	The overall noise levels in all around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	have been taken. Ambient Noise is regularly monitored. Last monitoring conducted by M/s Shri Om Testing and Research Laboratory, a NABL laboratory on 24 th February 2021 on the plant boundary locations. The results were in the range of 40.5 dB(A) to 61.5 dB(A) during day time and 30.5 dB(A) to 60.4 dB(A) during night time which are well within the prescribed norms. The report is
ix	The company shall develop rain water harvesting structures to harvest the runoff water for recharge of ground water.	Three rain water harvesting structures with proper drainage system have been made for collection of rain water to recharge the ground water. Based on our own measurements, this unit is NEARLY
x	Occupational health and safety measures shall be undertaken. Periodic monitorial for exposure to dust on the workers should be conducted and records maintained including health records of the workers. The company shall engage a doctor who is trained in occupational health.	given the top most priority in our company. An occupational health centre has been set up. Regular medical checkup has been conducted for the workers as well as employees on annual basis. However keeping in view the situation of Covid 19, Detailed checkup from Third party has not been done but Covid 19 related checkups are done regularly to
xi	The company shall undertake eco- developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval.	protect them from getting infected. Ambuja Cement Foundation (a Non-Governmental Organization) has been set up by the company for looking after Eco-developmental and community welfare measures in the project area and is working since the inception of the project. Total expenditure incurred on CSR activities for the year 2020-21 was Rs.1.04 Crores and is enclosed as Annexure – 7
xii	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	To look after the environmental management and monitoring, the company has set up a separate Environmental Management Cell with full-fledged laboratory.

Page 4 of 5

XIII	The project authorities shall earmark Rs. 2.20 Crores to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for all the conditions stipulated herein shall be submitted to the Ministry's Regional Office. The funds so provided shall not be diverted for any other purpose.	was earmarked to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government, Initially we had spent approximately 41
xiv	The implementation of the project vis-à-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB/CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	six monthly compliance reports are being submitted regularly. Last report April 2020 to September 2020 was submitted through e-mail
xv	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one should be in the Vernacular language of the locality and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The condition has been complied with. The same had been advertised in two local news papers (The Tribune and Dainik Bhaskar) dated 29 th August 2008 in Hindi and the same had been forwarded to Regional Office of the Ministry
xvi	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of project.	The project was approved by the state govt. on March 11, 2008; EC granted by MoEF on August 22, 2008. The project activities were formally started in January, 2009. Consent to Operate was issued by State Pollution Control Board on March 23, 2010 and production started on March 27, 2010.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-7

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description Sample Drawn on Sample Drawn by

Sample Received on

Time of Sampling (minutes)

Sampling Location Analysis Duration Source of Emission Capacity

Operating Load

Normal Operation Schedule

Type of Stack

Height of Stack from Ground Level (meter)

Type of Fuel Used

Ambient Temperature (°C) Stack Flue Gas Temperature (°C)

Average Velocity of Fuel Emission (m/sec)

Control Device

Stack Emission of Vertical Roller

24/02/2021

M/S ECO-MOLECULE Team

25/2/2021 30 0

NA 26/02/2021

Stack Attached To Vertical Roller Mill

250 Ton/hr As per requirement Metal/Circular 44.0

Furnace Oil 2 Lt/Ton of product

20.0 72.0 8.62 Bag House

S. No.	Parameter	Methods	Results	Units	Limits as per EPA-1986 (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	18.50	mg/Nm ³	30.0
2	Sulphur Dioxide (as SO ₂)	IS: 11255 (P-2)	28.26	mg/Nm ³	Not Specified
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	75.4	mg/Nm ³	Not Specified
4	Carbon Monoxide (as CO)	IS: 13270	<0.2	% VN	1.0

End of Report*

Shri Om Testing & Research Laboratop

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-8 Issue to: M/s Ambuja Cement Ltd.,

Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description Sample Drawn on Sample Drawn by Sample Received on Time of Sampling (minutes) Sampling Location Analysis Duration CapacityOperating Load Normal Operation Schedule Height of Stack from Ground Level (meter) Diameter of Stack Type of Fuel Used Ambient Temperature (°C) Stack Flue Gas Temperature (°C) Average Velocity of Fuel Emission (m/sec) Control Device

Process Stack 24/02/2021 M/S ECO-MOLECULE Team 25/02/2021 30.0 Stack Attached To Process stack (Packing Plant Bag Filter-2 26/02/2021 240 Ton/hr As per requirement Metal/Circular 31.6 100 Cm Electricity 20.0 72.0 6.84 Bag Filter

S. No.	Parameter	Methods	Results	Units	Limits as per EPA- 1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	16.4	mg/Nm³	30.0

'End of Report*

mbuja Ceme

Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-9 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description Sample Drawn on Sample Drawn by Sample Received on Time of Sampling (minutes) Sampling Location Analysis Duration Source of Emission CapacityOperating Load Type of Stack Height of Stack from Ground Level (meter) Diameter of Stack Type of Fuel Used Ambient Temperature (°C) Stack Flue Gas Temperature (°C) Average Velocity of Fuel Emission (m/sec) Control Device	Process Stack 24/02/2021 M/S ECO-MOLECULE Team 25/02/2021 30.0 NA 24/02/2021 Stack Attached To Process stack (Packing Plant Bag Filter-1 240 Ton/ hr As per requirement Metal/Circular 31.6 100 Cm Electricity 36.0 20.0 7.6 Bag Filter
--	---

S. No.	Parameter	Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)			
		15. 11255 (P-1)	17.5	mg/Nm³	30.0

*****End of Report*****



Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-10
Issue to: M/s Ambuja Cement Ltd.,

Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description	Stack Emission of Clinker Tippler Bag filter
Sample Drawn on	24/02/2021
Sample Drawn by	M/S ECO-MOLECULE Team
Sample Received on	25/02/2021
Time of Sampling (minutes)	30.0
Sampling Location	NA NA
Analysis Duration	25/02/2021to 26/02/2021
Source of Emission	Clinker Tippler Bag filter Stack-1
Capacity/Operating Load	54.0
Height of Stack from Ground Level (meter)	32.0
Stack Dia, Meter	1.0
Ambient Temperature (°C)	20.0
Stack Flue Gas Temperature (°C)	44.0
Average Velocity of Fuel Emission (m/sec)	9.76
Control Device	Bag House

S. No.	Parameter	Methods	Results	Units	Limits as per EPA- 1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	16.0	mg/Nm ³	30.0

Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-11

Issue to: M/s Ambuja Cement Ltd.,

Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description Sample Drawn on Sample Drawn by Sample Received on Time of Sampling (minutes) Analysis Duration Source of Emission Capacity Operating Load Height of Stack from Ground Level (meter) Stack Dia, Meter Ambient Temperature (°C) Stack Flue Gas Temperature (°C) Average Velocity of Fuel Emission (m/sec) Control Device	Stack Emission of Clinker Tippler Bag filter 24/02/2021 M/S ECO-MOLECULE Team 25/02/2021 30.0 25/02/2021 to 26/02/2021 Clinker Tippler Bag filter Stack-II 54.0 32.0 1.0 20.0 42.0 11.22 Bag House
--	--

	Parameter	Methods	Results	Units	Limits as per EPA- 1986, (SL-96
1	Particulate Matter (as PM)	IS: 11255 (P-1)	12.5	mg/Nm ³	Schedule-I) 30.0



Shri Om Testing & Research Laborator

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for

This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

Annexure-2

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-1 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description

Ambient Air

Sample Drawn on Sample

24/02/2021

Drawn by Sample

ECO-MOLECULE TEAM

Location

Station No.1 (Labour Hutment towards Jajhra)

Sampling Time

24.0 Hrs.

Analysis Duration

25/02/2021 To 02/03/21

Ambient Temperature (°C)

20.0

Average Flow Rate of SPM (m /min.)

1.1 1.0

Rate of Gases (lpm) Weather Conditions

Clear

		TEST REPOR	T		
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits
1	RSPM (PM10)	IS:5182 Part-XXIII	71.0	μg/m3	100.0
2.	Particulate Matter (PM2.5)	CPCB Vol-I	34.0	μg/m3	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	3.02	μg/m3	80.0
4	Nitrogen Oxide	IS:5182 Part-VI	14.0	μg/m3	80.0
5	Carbon Monoxide	IS:5182 Part-X	0.42	μg/m3	4.0
6	Lead as Pb	IS:5182 Part-XXII	ND	μg/m3	1.0
7	Ozone as O3	IS:5182 Part-IX	22.0	μg/m3	180.0
8	Benzene as C6H6	IS:5182 Part-XI	ND	μg/m3	5.0
9	Benzo(a) Pyrene	IS:5182 Part-XI	ND	μg/m3	1.0
10	Ammonia as NH3	APHA-AIR402	ND	μg/m3	400.0
11	Nickel as Ni	APHA-AIR420	ND	μg/m3	20.0
12	Arsenic as As	APHA-AIR 302	ND	μg/m3	6,0

****End of Report*****

Shri Om Testing & Research Laboratory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

Tet

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-2 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description

Ambient Air

Sample Drawn on Sample

24/02/2021

Drawn by Sample

ECO-MOLECULE TEAM

Location

Station No.2 (Rain Water Harvesting)

Sampling Time

24.0 Hrs.

Analysis Duration

25/02/2021 To 02/03/21

Ambient Temperature (°C)

20.0

Average Flow Rate of SPM (m /min.)

1.1

Rate of Gases (Ipm)

1.0

Weather Conditions

Clear

TEST REPORT						
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits	
1	Particulate Matter(PM10)	IS:5182 Part-XXIII	76.0	μg/m3	100.0	
2.	Particulate Matter(PM2.5)	CPCB Vol-I	38.0			
3.	Sulphur Dioxide	IS:5182 Part-II	1.02	μg/m3	60.0	
4	Nitrogen Oxide	IS:5182 Part-VI		μg/m3	80.0	
5	Carbon Monoxide	IS:5182 Part-X	8.60	μg/m3	80.0	
6	Lead as Pb	IS:5182 Part-XXII	1.32	μg/m3	4.0	
7	Ozone as O3	The state of the s	ND	μg/m3	1.0	
8	Benzene as C6H6	IS:5182 Part-IX	24.2	μg/m3	180.0	
9		IS:5182 Part-XI	ND	μg/m3	5.0	
1	Benzo(a) Pyrene	IS:5182 Part-XI	ND	μg/m3	1.0	
10	Ammonia as NH3	APHA-AIR402	ND	μg/m3	400.0	
1	Nickel as Ni	APHA-AIR420	ND	μg/m3	20.0	
2	Arsenic as As Not Detectable	APHA-AIR 302	ND	μg/m3	6.0	

Note- ND- Not Detectable

Cements Ten Nalagarli Distt. Sofah ill P PIN-174101

Shri Om Testing & Research Laborator

Note: 1. The results indicated only refer to the tested sample and little parameters and do not endorse any product. The customer asked for

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-3 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

ECO-MOLECULE TEAM

25/02/2021 To 02/03/21

Station No.3 (Administrative Building)

Ambient Air

24/02/2021

24.0 Hrs.

Sample Description

ouripic Description

Sample Drawn on Sample

Drawn by Sample

Location

Sampling Time

Analysis Duration

Ambient Tonnel

Average Flow Rate of SPM (m /min.)

Rate of Gases (Ipm)

Ambient Temperature (°C)

1.1 1.0 Clear

20.0

Weather Condition

		TEST REPOR	T		
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits
1	Particulate Matter(PM10)	IS:5182 Part-XXIII	69.0	μg/m3	100,0
2.	Particulate Matter(PM2.5)	CPCB Vol-I	27.5	μg/m3	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	1.04	μg/m3	80.0
4	Nitrogen Oxide	IS:5182 Part-VI	12.6	μg/m3	80.0
5	Carbon Monoxide	IS:5182 Part-X	1.36	μg/m3	4.0
6	Lead as Pb	IS:5182 Part-XXII	ND	μg/m3	1.0
7	Ozone as O3	IS:5182 Part-IX	23.4	μg/m3	180.0
8	Benzene as C6H6	IS:5182 Part-XI	ND	μg/m3	5.0
9	Benzo(a) Pyrene	IS:5182 Part-XI	ND	µg/m3	1.0
10	Ammonia as NH3	APHA-AIR402	ND	μg/m3	400,0
11	Nickel as Ni	APHA-AIR420	ND	μg/m3	20.0
12	Arsenic as As	APHA-AIR 302	ND	μg/m3	6.0

Note- ND- Not Detectable

Shri Om Testing & Research Laborator

Authorized Signatury

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-4

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Description

Sample Drawn on Sample

Drawn by Sample

Location

Sampling Time

Analysis Duration

Ambient Temperature (°C)

Average Flow Rate of SPM (m /min.)

Rate of Gases (lpm) Weather Condition

Ambient Air

24/02/2021

ECO-MOLECULE TEAM

Station No.4 (Roof Top of Guest House))

24.0 Hrs.

25/02/2021 To 02/03/21

20.0

1.1

1.0

Clear

C 31		TEST REPOR	T		
Sr.No.	Parameters	Test Method	Results	Units	Standard
1	Particulate Matter(PM10)	IS:5182 Part-XXIII	77.50	μg/m3	Limits 100.0
2.	Particulate Matter(PM2.5)	CPCB Vol-I	32.4	μg/m3	60,0
3.	Sulphur Dioxide	IS:5182 Part-II	2.16	μg/m3	80.0
4	Nitrogen Oxide	IS:5182 Part-VI	22.20		
5	Carbon Monoxide	IS:5182 Part-X		μg/m3	80.0
5	Lead as Pb		1.36	μg/m3	4.0
		IS:5182 Part-XXII	ND	μg/m3	1.0
7	Ozone as O3	IS:5182 Part-IX	20.5	μg/m3	180.0
3	Benzene as C6H6	IS:5182 Part-XI	ND	μg/m3	5.0
)	Benzo(a) Pyrene	IS:5182 Part-XI	ND	μg/m3	1.0
0	Ammonia as NH3	APHA-AIR402	ND	μg/m3	400.0
1	Nickel as Ni	APHA-AIR420	ND	μg/m3	20.0
2	Arsenic as As	APHA-AIR 302	ND	μg/m3	6.0

*****End of Report*

cements

Shri Om Testing & Research Laboratory

Authorized Signatory

Teh Note: 1. The results indicated only refer to the tested sample and isted parameters and do not endorse any product. The customer asked for PM-

2. This certificate shall not be reproduced wholly or in part without prior witten consent of the laboratory.

3. This certificate shall not be used in any advertising media of a sufficience in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-5

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

Sample Description

Sample Drawn on Sample

Drawn by Sample

Location

Sampling Time Analysis Duration

Ambient Temperature (°C)

Average Flow Rate of SPM (m /min.)

Rate of Gases (Ipm) Weather Condition

Ambient Air

26/02/2021

ECO-MOLECULE TEAM

Station No.5 (Near Nursery towards Pater Phaloo))

24.0 Hrs

26/02/2021 To 02/03/21

37.0

1.1

1.0

Clear

~		TEST REPOR	T		
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits
1	Particulate Matter(PM10)	IS:5182 Part-XXIII	73.0	μg/m3	100.0
2.	Particulate Matter(PM2.5)	CPCB Vol-I	35.4	μg/m3	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	2.26	μg/m3	80.0
4	Nitrogen Oxide	IS:5182 Part-VI	16.80	μg/m3	80.0
5	Carbon Monoxide	IS:5182 Part-X	1.42	μg/m3	4.0
6	Lead as Pb	IS:5182 Part-XXII	ND	μg/m3	1.0
7	Ozone as O3	IS:5182 Part-IX	21.0	μg/m3	180.0
8	Benzene as C6H6	IS:5182 Part-XI	ND	μg/m3	5.0
9	Benzo(a) Pyrene	IS:5182 Part-XI	ND	μg/m3	
10	Ammonia as NH3	APHA-AIR402	ND	μg/m3	1.0
1	Nickel as Ni	APHA-AIR420	ND	μg/m3	20.0
2	Arsenic as As	APHA-AIR 302	ND	μg/m3	6.0

Note-ND-Not Detectable

End of Report*****

Shri Om Testing & Research Laboratory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only. Pragraon.

Dis

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-6

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA Ambient Air

ECO-MOLECULE TEAM

26/02/2021 To 02/03/21

Station No.6 (Near STP towards Ratyor))

26/02/2021

24.0 Hrs.

SOP/Air/01

Sample Description

Sample Drawn on Sample

Drawn by Sample

Location

Sampling Time

Sampling Plan & Procedure

Analysis Duration

Ambient Temperature (°C)

Average Flow Rate of SPM (m /min.)

1.0

37.0

Rate of Gases (Ipm)

1.1 Weather Condition Clear

		TEST REPOR	Т		
Sr.No.	Parameters	Test Method	Results	Units	Standard
1	Particulate Matter(PM10)	IS:5182 Part-XXIII	78.0	μg/m3	Limits 100.0
2.	Particulate Matter(PM2.5)	CPCB Vol-I	28.5	μg/m3	
3.	Sulphur Dioxide	IS:5182 Part-II	3,70		60.0
4	Nitrogen Oxide	IS:5182 Part-VI		μg/m3	80,0
5			22.40	μg/m3	80.0
	Carbon Monoxide	IS:5182 Part-X	1.06	μg/m3	4.0
5	Lead as Pb	IS:5182 Part-XXII	ND	μg/m3	1.0
7	Ozone as O3	IS:5182 Part-IX	18.9	μg/m3	180.0
3	Benzene as C6H6	IS:5182 Part-XI	ND		
)	Benzo(a) Pyrene	IS:5182 Part-XI		μg/m3	5.0
0	Ammonia as NH3	APHA-AIR402	ND ND	μg/m3	1.0
1	Nickel as Ni			μg/m3	400.0
2	Arsenic as As	APHA-AIR420	ND	μg/m3	20.0
	D- Not Detectable	APHA-AIR 302	ND	μg/m3	6.0

*****End of Report* Gement

Halagari Note: 1. The results indicated only refer to the tested sample and listed parameters antido not endorse any product. The customer asked for the above tests only. PIN-17410

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the control bar without prior written consent of the laboratory.

AMBUJA CEMENTS LIMITED (UNIT - NALAGARH) PLANTATION DATA UPTO MARCH 2021

Month	Trees planted	Shrubs planted
Upto December 2010	1640	8968
January to December 2011	1161	18895
January to December 2012	929	2835
January to December 2013	570	2380
January to December 2014	596	636
January to December 2015	582	257
January to December 2016	570	330
January to December 2017	349	257
January to December 2018	500	0
January to December 2019	414	2250
January to December 2020	40	165
January 2021	0	0
February 2021	0	50
March 2021	Ö	0
Total	7351	37023



Annexuse-4

Compliance of Conditions of CREP recommendations Ambuja Cements Limited Village Navagraon - Nalagarh (H.P.)

SI. No.	Recommendation	Compliance Status
1	Cement Plants, which are not complying with notified standards, shall do the following to meet the standards;	Unit is already meeting the notified emission standards.
	Augmentation of existing Air Pollution Control Devices - by July 2003. Replacement of existing Air Pollution Control Devices - by July 2004	
2	Cement Plants located in critically polluted or urban areas (including 5 km distance outside urban boundary) will meet 100mg/ Nm3 limit or particulate matter by December 2004 and continue working to reduce the emission of particulate matter to 50 mg/Nm ³ .	30 mg/Nm ³
3	The new cement kilns to be accorded NOC/Environmental Clearance w.e.f 1.04.2003 will meet the limit of 50 mg/Nm3 for particulate matter emissions.	Not Applicable as there is a Standalone Grinding Unit.
4	CPCB will evolve load based standards by December 2003.	No load based standard for cement industry particularly applicable to grinding unit has been evolved
5	CPCB and NCBM will evolve SO2 and NOx emission standards by June 2004.	Not Applicable as this is a standalone Grinding Unit.
6	The Cement industries will control fugitive emissions from all the raw material and products storage and transfer points by December 2003. However, the feasibility for the control of fugitive emissions form limestone and coal storage areas will be decided by the National Task Force (NTF). The NTF shall submit its recommendations within three months.	All the material transfer points are equipped with Bag Filters. Raw materials are stored in covered areas. Maximum area inside plant is either covered with Greenery or it has been concreted to prevent fugitive emission.
7	CPCB, NCBM, BIS and Oil refineries will jointly prepare the policy on use of petroleum cokes as fuel in cement kiln by July 2003.	Not Applicable as this is a standalone Grinding Unit.
8	After performance evaluation of various	Continuous menission monitoring

Page 1 of 2

Teh Nalagarh Distt. Standy PM-17410-

	types of continuous monitoring equipment and feedback form the industries and equipment manufactures, NTF will decide feasible unit operations/sections for installation of continuous monitoring equipment. The industry will install the continuous monitoring systems (CMS) by December 2003	Cement Mill Stack. Also a Continuous Ambient Air Quality Monitoring Station (CAAQMS) has been installed. Both the systems have been connected with CPCB and State Pollution Control Board for online data transmission.
9	Tripping in kiln ESP to be minimized by July 2003 as per the recommendations of NTF.	Not Applicable as this is a standalone Grinding Unit.
10	Industries will submit the target date to enhance the utilization of waste material by April, 2003.	All the particulate matter collected through APCEs is automatically recycled in the respected processes. More over we are using fly ash for making Pozolona Portland Cement (PPC) which is waste of Thermal Plants.
11	NCBM will carry out a study on hazardous waste utilization in cement kiln by December 2003.	The condition is not Applicable as this is a standalone Grinding Unit.
12	Cement industries will carry out feasibility study and submit target dates to CPCB for co-generation of power by July 2003. * Non complying units shall given bank guarantee to respective SPCBs.	Not Applicable.





Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

Americae

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-16

Issue to: M/s Ambuja Cement Ltd.,

Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description

Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Packing Floor

8 hrs

Work Zone Air (Fugitive Emission)

1.03

TEST REPORT

Emission Limits (As per EPA, 1986)	Units	Results	Test Method	Parameters	Sr.No.
5000,0	μg/m3	4600.0	IS:5182 Part-XXIII	SPM	1
	μg/m3	4600.0	15.5162 Part-XXIII		

*****End Of Report*****



Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for

. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-17

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Loading Floor


8 hrs

Work Zone Air (Fugitive Emission)

1.03

TEST REPORT						
Sr.No.	Parameters	Test Method	Results	Units	Emission Limits (As per EPA,1986)	
1	SPM	IS:5182 Part-XXIII	4540.0	μg/m3	5000.0	

*End of Report**



Shri Om Testing & Research Laboratory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-18 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Gypsum Storage Area

8 hrs

Work Zone Air (Fugitive Emission)

TEST REPORT					
Sr.No.	Parameters	Test Method	Results	Units	Emission Limits (As per EPA,1986)
1	SPM	IS:5182 Part-XXIII	1160.0	μg/m3	5000.0

*****End Of Report*****



Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for

biological testing will be destroyed after 7 days of testing.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-19 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Flyash Unloading Area

8 hrs

Work Zone Air (Fugitive Emission)

1.03

		TEST REPO	RT	7	
Sr.No.	Parameters	Test Method	Results	Units	Emission Limits (As per EPA,1986)
1	SPM	IS:5182 Part-XXIII	1456.0	μg/m3	5000.0

*****End Of Report*****



Shri Om Testing & Research Laborator

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for

biological testing will be destroyed after 7 days of testing.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-20

Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Gypsum Feeding (Operator)

8 hrs

Work Zone Air Quality Monitoring

1.02

		TEST REPOR	RT		
Sr.No.	Parameters	Test Method	Results	Units	Standard
1	Suspended Particulate Matters	IS:5182 Part-XXIII	4.90	mg/m3	Limits 10.0

*****End Of Report*****



Shri Om Testing & Research Laborator

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-21 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description

Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Material Gate (Security Person))

8 hrs

Work Zone Air

1.06

		TEST REPOR	RT		
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits
1	Suspended Particulate Matters	IS:5182 Part-XXIII	2.80	mg/m3	10.0

*End of Report***** faan/

Shri Om Testing & Research Laboratory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for biological testing will be destroyed after 7 days of testing.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301 Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-22 Issue to: M/s Ambuja Cement Ltd.,

Nalagarh, Distt. Solan

Issue Date: 04.03.2021

SAMPLING & ANALYSIS DATA

Sample Drawn on

Sample Drawn By

Sample Description Sampling Time

Source of Emission

Flow Rate

24/02/2021

M/s Eco-Molecule Technologies & Soln.

Packer (Operator)

8 hrs

Work Zone Air

1.10

		TEST REPOR	RT		
Sr.No.	Parameters	Test Method	Results	Units	Standard Limits
1	Suspended Particulate Matters	IS:5182 Part-XXIII	6.30	mg/m3	10.0

End of Report*



Shri Om Testing & Research Laboratory

Authorized Signatory

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for the above tests only.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laborator 4. The samples received shall be destroyed after 30 days from the date of issue of the certificate unless specified otherwise and sample for

biological testing will be destroyed after 7 days of testing.



Plot No. 296, 1st FNG Road, Sector-121, Ghari Chaukhandi, Noida - 201301

Web.: www.shriomlab.com, www.shriomlab.in

N.A.B.L. Accredited, ISO 9001, ISO 14001 & ISO 45001 Certified Laboratory

TEST REPORT

Report Code no.: 04032021-23 Issue to: M/s Ambuja Cement Ltd., Nalagarh, Distt. Solan

Issue Date: 04.03.2021

AMBIENT NOISE MONITORING DATA

Sample Drawn on

24/02/2021

Sample Drawn By

M/s Eco-Molecule Technologies & Soln.

Sample Description

Cement Manufacturing

Sampling Time Source of Emission

Day & Night Ambient Noise

Sr. No.	Location Name	Method	Results	Standard Limits Leq.dB(A)
1	Near Material Gate (Day Time), Leq dB(A)		61.5	75.0
2	Near Material Gate (Night Time), Lcq d B(A)	30.5	70.0	
3	Near Admin Building (Day Time).Leq dB(A)		48.6	75.0
4	Near Admin Building (Night Time), Leq dB (A)		41.8	70.0
5	Near Scrap Yard (Day Time), Leq dB(A)		50.2	75.0
6	Near Scrap Yard (Night Time). Leq dB(A)		44.4	70.0
7	Near STP on Road (Day Time), Leq dB (A)		55.2	75.0
8	Nea; STPon Road (Night Time), Leq dB(A)		48.0	70.0
9	Near MPSS Building (Day Time). Leq dB (A)	IS:9989	40.5	75.0
10	Near MPSSBuilding (Night Time), Leq dB (A) (Reaff)		40.2	70.0
11	In front of DO (Day Time), Leq dB (A)	2014)	45.3	75.0
12	In front of DO (Night Time), Leq dB(A)	58.6		70.0
13	Neu Bore Well Dispensaiy (Day Time). Leq dB(A)		44.3	75.0
14	Neu Bore Well Dispensary (Night Tune). Leq dB(A)		58.0	70.0
15	Near Store Building (Day Time), Leq dB (A)		58.0	75.0
16	Near Store Building (Night Time). Leq dB (A)		60.4	70.0
17	Near Weigh Bridge (Day Time), Leq dB(A)		41.7	75.0
18	Neer Weigh Bridge(Night Time), Leq dB (A)	7	52.6	70.0
19	Near Rain Water Harvesting Structure (Day Time), Leq dB(A)	7 1	48.4	
20	Near Rain Water Harvesting Structure (Night Time), Leq dB(A)	1 1	42.7	75.0 70.0

Shri Om Testing & Research Laborator

Note: 1. The results indicated only refer to the tested sample and listed parameters and do not endorse any product. The customer asked for

2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

AMBUJA CEMENT FOUNDATION - NALAGARH EXPENSES FOR THE YEAR 2020-21

Sr. No.		Total Expenses (Lacs)
1	Water Resource Management	0.26
2	Agro-Based Livelihood	13.13
3	SEDI	23.55
4	Health & Sanitation	43.85
5	Women Empowerment	5.61
6	Rural Infrastructure	14.00
	Education	0.09
7	Unplanned	0.07
8	Capital	0.53
9	Establishment	3.63
	Total	104.72



AMBUJA CEMENTS LIMITED (UNIT - NALAGARH)

CEMENT PRODUCTION DATA FROM OCTOBER 2020 TO MARCH 2021

MONTH	CEMENT PRODUCTION (METRIC TONNES)
OCTOBER 2020	95795
NOVEMBER 2020	105670
DECEMBER 2020	102760
JANUARY 2021	77751
FEBRUARY 2021	80065
MARCH 2021	124071
TOTAL	586112



Page 1 of 1