

REGD. A/D

88133

ACL/EMD/F-16/2020/2233

03.11.2020

The Director.

Ministry of Environment, Forest and Climate Change (MoEF&CC), Regional Office, Western Region, "Kendriya Paryavaran Bhavan" Link Road No.3, Ravi Shankar Nagar, Bhopal - 462016, (M.P.)

Half Yearly Compliance Status Report of Environmental Clearance of Solai

Environmental Clearance Order No. J-11015/177/2006-IA-II (M) dated 06.03.07 Ref.:

Sir,

We are pleased to submit herewith half yearly compliance status report (i.e. for the period of (April'2020 to September'2020) of Environmental Clearance Order No. J-11015/177/2006-IA-II(M) granted by MoEF to Solaj Mines of Ambuja Cements Ltd., located at village - Solaj, Taluka-Sutrapada, District - Gir Somnath (Gujarat).

Thanking you,

Yours Faithfully,

For Ambuja Cements Ltd.

Birm Anand Prakash

Head-Environment

Encl.: As above.

Copy to:

- 1) The Central Pollution Control Board (CPCB), Privesh Bhavan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023 (Gujarat)
- 2) The Member Secretary, Gujarat Pollution Control Board (GPCB), Paryavaran Bhavan, Sector-10-A, Gandhinagar-382010
- 3) The Regional Officer, Gujarat Pollution Control Board (GPCB), Opp. Saint Anne's Church Station Road, Junagadh.

Regd. Office:

PO: Ambujanagar - 362 715, Tal: Kodinar, Dist.: Gir Somnath (Gujarat)

Phone: (02795) 221137, 232009, Fax: (02795) 220328

Ambuja Cements Limited (Unit: Ambujanagar)

CIN No.: L26942GJ1981PLC004717 www.ambujacement.com

Corporate Office: Elegant Business Park,

MIDC Cross Road 'B' Off Andheri - Kurla Road, Andheri (E) Mumbai - 400 059. Phone: (022) 4066700

MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS

Ministry of Environment, Forest and Climate Change Regional Office (W), Bhopal Monitoring Report Part-I


DATA SHEET

01	Project type	:	Mining
02	Name of the project	:	Solaj Limestone Mine
03	Clearance letter(s) / OM no. and date	:	J-11015/177/2006- IA ,II (M) , 6 th March 2007
04	Location		
	a) District(s)	:	Gir Somnath
	b) State(s)	:	Gujarat
	c) Latitude	:	20°50' 11" - 20° 51' 30"
	d) Longitude	:	70° 36'24" - 70° 38'24"
05	Address for correspondence	:	
	a) Address of concerned Project Chief Engineer (with pincode & telephone / telex / fax numbers).	:	Sh. Anupam Agrawal Unit Head Ambuja Cements Ltd. PO Ambujanagar, Taluka: Kodinar, Pin- 362715 District: Gir Somnath (Gujarat). Tel: 02795-221137/232009/237403 Fax: 02795-220328/232032
	b) Address of Executive Project Engineer / Manager (with pincode / fax numbers.	:	(Mines is Not in operation. From-1 is Submitted to DGMS)
06	Salient features		
	a) of the project		Ambuja Cements Ltd. has cement manufacturing plant at Ambujanagar in Kodinar Taluka of Gir Somnath District. Limestone & Marl are the main raw materials for the cement plants. The materials are being exploited from company's own captive mines i.e. Solaj Limestone Mine. Solaj is located at a distance of about 12 kms in WNW direction with respect to cement plant. The rated capacity of the limestone & marl is 1.0 & 0.4 MTPA respectively.
	b) of the environmental management plans	:	 Mining operations do not involve drilling and blasting for material rising. Limestone excavation is being carried out by Surface Miner, direct excavation by excavators and ripper dozer. Regular monitoring of environmental parameters is being undertaken as per statutory requirements. Regular preventive maintenance of HEMM is being undertaken. Water sprinkling on haul roads and in working area is being carried out on regular basis for dust suppression. Afforestation / Green belt development carried out along haul road and lease periphery, mines office, mined out area etc. Mined-out areas to be converted to pasture land or to be rehabilitated by afforestation or converted to water reservoirs as per approved mining plan. Literacy drive and Socio-economic improvement measures are undertaken in the project buffer zone and is in progress.
07	Break up of the project area.	:	-
	a) Submergence area (forest & non-forest)	:	Not applicable
	b) Others	:	200.8184 ha (Gauchar land)
08	Break up of the project affected population with enumeration of those a houses / dwelling units only agricultural land only, both dwelling units & agricultural land & landless labourers / artisan.	:	Rehabilitation or evacuation not involved while executing the project and the same conditions are existing.

	a) SC, ST / Adivasis	:	Not applicable
	b) Others	•	Not applicable
09	Financial details	:	- Tree applicable
0 9	a) Project cost as originally planned and	:	Rs. 250 Lakhs
	subsequent revised estimates and the		To the same
	year of price reference.		
	b) Allocation made for environmental	•	Rs. 7.94 Cr.
	management plans with item wise and	•	113. 7. 54 Ci.
	year wise break-up.		
	c) Benefit cost ratio / Internal rate of return and	:	No separate assessment made for this project.
	the year of assessment.	-	
	d) Whether (c) includes the cost of	:	Not applicable.
	environmental management as shown in the		
	above.		
	e) Actual expenditure incurred on the project so	:	Rs. 7.47 Cr.
	far.		
	f) Actual expenditure incurred on the	:	Rs. 9.48 Cr.
	environmental management plans so far.		
10	Forest land requirement.	:	
	a) The status of approval for diversion of forest	:	The project area does not comprise of any forest land.
	land for non-forestry use.		
	b) The status of clearing felling		Not applicable.
	c) The status of compensatory afforestation, if	:	Not applicable.
	any		
	d) Comments on the viability & sustainability of	:	Not applicable.
	compensatory afforestation programme in		
	the light of actual field experience so far.		The project site mostly comprises of harron waste land only. It does
11	The status of clear felling in non-forest areas	•	The project site mostly comprises of barren waste land only. It does
	(such as submergence area of reservoir, approach roads), if any with quantitative		not involve felling of trees.
	information.		
12	Status of construction.		
12	a) Date of commencement (Actual & / or	•	5 th December 1996
	planned)	•) becember 1990
	b) Date of completion (Actual and / or planned).	:	Continued
13	Reasons for the delay if the project is yet to start.	•	Not applicable.
14	Dates of site visits	•	
'4	a) The dates on which the project was		12.10.10 to 13.10.10 by Dr. A. Mehrotra
	monitored by the Regional Office on	•	Regional Office, Bhopal
	previous occasions, if any.		
	b) Date of site visit for this monitoring report	:	12.10.10 to 13.10.10
15	Details of correspondence with project authorities	•	Half yearly compliance status report is being regularly submitted and
رر	for obtaining action plans / information on status	•	last submission was on 12.05.2020 vide letter no. ACL/EMD/F-
	of compliance to safeguards other than the		16/2020/2115/87306
	routine letters for logistic support for site visits).		
	,		

Note: Mines is Not in operation. From-1 is Submitted to DGMS

S No. Condition					Compliance Status					
A. :	Specific (Condition:								
i	 i The environmental clearance is subject to final orders of the Hon'ble Court of Fast Track Judge & Joint District Judge, Veraval, in the matter. ii All the conditions stipulated by the State 				 The final order has been issued on dated 14th November 2006 which has been already submitted to MoEF&CC vide our submission dated 25.12.2010 vide letter no.ACL/EMD/F-16/2010/55925. Point noted and being complied. 					
	Pollution effective	Control Board in their NOC should ly implemented.	be	POIII	noteu ai	na being	g compii	eu.		
iii The proponent should carry out long terms studies on salinity and water levels in and around mining areas and submit report to this ministry, its Regional Office Bhopal and Central Ground Water Authority within a period of 6 months.				• Water conservation measures to augment ground water resources in the area are being done by Ambuja Cement Foundation (ACF). A report about ACF & community development work done by ACF in surrounding areas is enclosed as Annexure. A report on Impact of Limestone Mining and Salinity Status around ACL mines has been prepared by Ground Water & Mineral Investigation Consultancy Centre Pvt. Ltd. (GWMICC), Jaipur. Report has been already submitted to MoEF vide our submission dated 25.12.2010 vide letter no.ACL/EMD/F-16/2010/55925.						
		Ambuja Ceme	ent Founda	tion - Ambujar			-			
		Details for programme wise ex	penditure 1	for the year Ap	ril 2020 to Se	pt 2020		(Rs. In lakhs)		
		Sr.No Programme GUJARAT- Kodiner	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	****Direct Funding to Communities	Total Exp.		
		Water Resource Mangement & Drinking Water Projects a. Water Resource Devlopment B. Drinking Water Programme Agriculture Development (Farm Forestry & Afforesation) 3 DCI	2.16 0.82 4.83 8.11	2 1.6 3.6	3 3 85.60	 35.53 76.54	130.52 49.01 112.44	4.08 132.97 93.02 282.78		
		4 Krishi Vigyan Kendra (KVK) - Agriculture 5 Ilealth & Sanitation Education Programme b Women / Youth Development 7 Skill and Enterprunership Development Programme	0.60 3.10 1.62 25.68	- , -		2.95		58.47 6.05 0.00 1.62 40.04		
		8 Integrated Community Development Programme 9 Co-ordination & Administration Expenses 10 Capital Expenditure TOTAL	11.22 44.03	2 - 3 -			291.97	11.22 44.03 0.00 674.28		
iv	earmarke should b	should be stacked with proper ed site(s) only with adequate meas e used for reclamation and rehabil	slope sures a	at •	Top s	oil gen d at des	erated signated	during r	mining operation was d being used for mines elopment.	
v	should be used for reclamation and rehabilitation of mined out areas. V Catch drains and siltation ponds of appropriate size should be constructed for the working pit to arrest flow of silt and sediment. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.						n for s		ease area as on today of mines in form-I is	



Note: Mines is Not in operation. From-1 is Submitted to DGMS

- (vii) The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.
- Water conservation measures to augment ground water resources in the area are being done by Ambuja Cement Foundation (ACF). Details of water harvesting work done by ACF in and around area is as per the data mentioned as under:

	Ambuja Cement Foundation - Ambujanagar								
	Details for programme wise expenditure for the year April 2020 to Sept 2020								
	(Rs. In lakhs)								
Sr.No	Programme GUJARAT - Kodinar	ACF - ACL	*Funds received through Government	** Funds from other Donors / Donor Agencies	***People's Contribution	I Funding to	Total Exp.		
1	Water Resource Mangement & Drinking Water Projects								
	a.Water Resource Devlopment	2.16	1.92				4.08		
	B .Drinking Water Programme	0.82	1.63			130.52	132.97		
2	Agriculture Development(Farm Forestry & Afforesation)	4.83	3.65		35.53	49.01	93.02		
3	BCI	8.11		85.69	76.54	112.44	282.78		
4	Krishi Vigyan Kendra (KVK) - Agriculture	0.66	57.81				58.47		
- 5	Health & Sanitation	3.10			2.95		6.05		
	Education Programme						0.00		
6	Women / Youth Development	1.62					1.62		
7	Skill and Enterprunership Development Programme	25.68	8.50		5.86		40.04		
8	Integrated Community Development Programme	11.22					11.22		
9	Co-ordination & Administration Expenses	44.03					44.03		
10	Capital Expenditure						0.00		
	TOTAL	102.23	73.51	85.69	120.88	291.97	674.28		

- viii Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and construction new piezometers during the mining operation. The monitoring should be carried out four times in a year Pre monsoon (April/May), monsoon (August), Post monsoon (November) and winter (January) and the data thus collected may be sent regularly to Ministry of Environment and Forests, its Regional Office, Bhopal, Central Ground water Authority and Central Ground Water Board.
- Complied. Water quality testing is carried out with the help of MoEF certified third party laboratory as per prescribed schedule. Water levels are being recorded in 11 open wells of buffer zone and 2 piezometers are constructed in mines area core zone.
 - Data collected is being communicated regularly to CGWA, New Delhi, MoEF Regional office (SEZ) Bhopal, CGWB Regional Director Gandhinagar.
 - Ground water level & quality monitoring is being done regularly by establishing a network of ground water monitoring stations. Report is submitted to MoEF regional office Bhopal on six monthly basis. Ground water level & quality monitoring reports are enclosed as under:



- The Project authorities should obtain prior approval of the competent authority for withdrawal of groundwater if any, required for the project.
- No withdrawal of ground water so far.
 Water requirement for domestic use, dust suppression and greenbelt development is being met from harvested rain water in mined out pit.

x	The mineral handling plant should be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should be properly maintained and operated.	•	No mineral handling plant at Mines site. Extracted mineral is transported to cement plant by trucks / tipper which are provided with mechanized double flap covering system.
xi	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	•	Vehicular emissions are checked regularly. All the vehicles used for transportation of minerals are provided with mechanized double flap covering system. Presently mining activity closed since 05.05.2014. & applied at IBM from for surrender of mines
xii	No drilling and blasting shall be undertaken in the project.	•	Drilling & Blast free fully mechanized Surface Miner machine is used for mining.
xiii	Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and report submitted to Ministry of Environment and Forests and its Regional Office, Bhopal.	•	Land use pattern report study has been conducted by Compusense Automation, Ahmadabad. Report is under preparation stage and will be submitted to MoEF&CC as soon as possible.
xiv	The void left unfilled in an area of 65.0 ha shall be converted into water body. The higher benches of excavated void/mining pit shall be terraced and plantation done to stabilize the slopes. The slopes of higher benches shall be made gentler for easy accessibility by local people to use the water, body. Peripheral fencing shall be carried out along the excavated area.	•	Excavated area is converted in to water bodies as per approved mining plan from IBM. Total Open mine area is 107.44 Ha. Higher benches will be made gentler for easy accessibility by local people to use the water body. Peripheral fencing of bella stone is provided along excavated area. Total 5138 meter brick wall, 15762 meter barbed wire and 16891 meter earthen bund fencing has been done.
xv	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered flora, endangered fauna such as leopard and endangered migratory bird species spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the state forest and wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and fund so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	•	Status of Biodiversity (Flora & Fauna) in core and buffer zone area of Solaj Mines has been conducted by "Gujarat Institute of Desert Ecology", Bhuj. Report with action plan for conservation of flora and fauna has been already submitted to MoEF vide our submission dated 25.12.2010 vide letter no.ACL/EMD/F-16/2010/55925.
xvi	Consent to operate should be obtained from SPCB before starting enhanced production from the mine.	•	Pointed noted. CCA will be obtained in case of enhanced production from the mine.

xvii	A final Mine Closure plan a	final Mine Closure plan along with details of				l Mine	Closi	ire pla	an alo	ng wit	h deta	ails o
	Corpus Fund should be su				 A final Mine Closure plan along with details of Corpus Fund shall be submitted to Ministry of 							
	•	Environment & Forests in advance of final			Environment & Forests in advance of final min							
	mine closure for approval.											
P Co	eneral Conditions:	•			closure for approval.							
j. Ge			م حالة الم	1 .	14/	£.1	1					
ı	No change in mining technology				We a		_					
	scope of working should		throug					-				
	prior approval of the Mini	stry of Enviro	nment		case o							
	& Forests.				scope		_		-	-	-	
				_	Minist		nvironi	ment,	Forest	& Clim	ate Ch	ange
ii	No change in the calen	-	_		Point r	noted						
	excavation, quantum of mineral limesto											
	and marl and waste should											
iii	At least four ambient air	quality mon	itoring	•	Four a	mbien	t air q	uality	monito	oring s	tations	s hav
	stations should be estab	olished in the	e core		been e	establi	shed ir	n core	& but	fer zo	ne. An	nbien
	zone as well as in the buf	fer zone for	RSPM,		air qu	ıality	monite	oring	result	s for	the p	perio
	SPM, SO2 & NOX monitor	ing. Location	of the		Octob	er'2019	to Ma	arch ['] 20	20 is 6	enclose	ed as u	nder:
	stations should be	decided on	ı the	•	The lo	cation	of the	moni	toring	station	ns is de	ecide
	meteorological data, top	ographical fe	atures			nsulta			GPCB			wne
	and environmentally	and ecolo	gically		consul	tant S	h. B Pa	dman	abh M	urthy,	Profes	sor o
	sensitive targets in con	onsultation with the			,							
	Densitive targets in con				JNU ai	nd fori	mer טו	rector	ot IM	v met-	-Dept (on 5tl
	State Pollution Control				JNU ai and 6t			rector	of IM	D Met-	-Dept o	on 5t
	State Pollution Control	Board. Da	ta on					rector	of IM	D Met-	-Dept o	on 5t
	State Pollution Control ambient air quality (RSPM	Board. Da , SPM, SO2 8	ta on « NOX)					rector	of IM	D Met-	-Dept (on 5t
	State Pollution Control ambient air quality (RSPM should be regularly submi	Board. Da , SPM, SO2 8 tted to the M	ta on « NOX) Iinistry					rector	of IM	D Met-	-Dept o	on 5t
	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi	Board. Da I, SPM, SO2 8 tted to the M ce at Bhopal	ta on (NOX) linistry and to					rector	of IM	D Met-	-Dept (on 5t
	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal atrol Board/0	ta on NOX) linistry and to Central					rector	of IM	D Met-	-Dept o	on 5t
	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal atrol Board/0	ta on NOX) linistry and to Central		and 6t	h Jan 2	2008.				-Dept o	on 5t
	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Average Working place	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/O nce in six mor Ambient Air Qua Solaj	ta on NOX) linistry and to Central nths. Mality Mor	nitoring	Results	h Jan 2 (April'2) Khera	2008. 020 to S Village	eptemb	er'2020)	Moradiy a	a Village	2
Month	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/O nce in six mor Ambient Air Qua Solaj PM2.5 PM10	ta on NOX) linistry and to Central hths. ality Mor Village S02		and 6t	(April [*] 20 Khera PM10	2008. 2008. 200 to S Village SO2		er'2020)	Moradiya PM10	a Village	
Month Apr-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m³)	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/O nce in six mor Ambient Air Qua Solaj PM2.5 PM10	ta on (NOX) linistry and to Central oths. edity Mor Village SO2 (m3)	NOx NOx	Results PM2.5	(April'2) Khera PM10 (µg)	2008. 2008. 200 to S Village S02 (m3)	eptemb NOx	er'2020) PM2.5	Moradiya PM10 (µg/	a Village	2
Apr-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m³)	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal atrol Board/once in six mor Ambient Air Qua Solaj PM2.5 PM10	ta on NOX) linistry and to Central oths. ality Mor Village S02 /m3)	NOx Due to C	Results PM2.5 COVID-19	(April'2) Khera PM10 (μg,	2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008.	NOx	PM2.5	Moradiya PM10 (բց/	a Village 502 'm3)	NOx
	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m³)	Board. Dar J., SPM, SO2 8 Itted to the M Itted to the M Itted to Board/O Itted in Six mor Itted Solaj Itted PM2.5 PM10 Itted Solaj Itted	ta on NOX) linistry and to Central oths. ality Mor Village S02 /m3)	NOx Due to C	Results PM2.5 COVID-19 26.3	(April'20 Khera PM10 (µg, Lockdow	2008. 2008. Village S02 m3) m, Monito 10.2	NOx ring not c	er'2020) PM2.5 onducted 24.4	Moradiya PM10 (µg/	a Village 502 'm3)	NOx
Apr-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m³)	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal atrol Board/once in six mor Ambient Air Qua Solaj PM2.5 PM10	ta on NOX) linistry and to Central oths. ality Mor Village S02 /m3)	NOx Due to C	Results PM2.5 COVID-19	(April'2) Khera PM10 (μg,	2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008.	NOx	PM2.5	Moradiya PM10 (µg/	a Village 502 'm3)	NOx 14.3
Apr-20 <u>May-20</u> Jun-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m3)	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/C nce in six mor Ambient Air Qua Solaj PM2.5 PM10 (199, 23.0 45.0 26.0 43.0 30.0 46.0 20.0 42.0	ta on NOX) linistry and to Central oths. lity Mor Village SO2 (m3) 11.7 12.4 13.2 12.3	NOx Due to C 16.9 18.5 17.9 16.1	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2	(April'2: Khera PM10 (µg) Lockdow 48.8 46.3 44.0 44.7	2008. 20	NOx ring not c 15.5 13.5 17.9 12.5	er'2020 PM2.5 onducted 24.4 22.3 29.0 25.7	Moradiy; PM10 (µg/ 44.3 42.5 52.0 42.2	a Village S02 (m3) 9.8 10.2 12.4 11.5	14.3 14.5 14.8 15.4
Apr-20 May-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place PM2.5 PM10 SO2 NOx (µg/m3)	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/C nce in six mor Ambient Air Qua PM2.5 PM10 (µg) 23.0 45.0 26.0 43.0 30.0 46.0 20.0 42.0 24.0 41.0	ta on NOX) linistry and to Central oths. linistry Mor Village SO2 (m3) 11.7 12.4 13.2 12.3 13.7	NOx Due to C 16.9 18.5 17.9 16.1 17.7	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0	(April'2) Khera PM10 (µg) Lockdow 48.8 46.3 44.0 44.7 40.2	2008. 20	nox ring not c 15.5 13.5 17.9 12.5 15.5	er'2020 PM2.5 onducted 24.4 22.3 29.0 25.7 27.5	Moradiy PM10 (µg/ 44.3 42.5 52.0 42.2 40.2	9.8 10.2 12.4 11.5 12.1	14.3 14.5 14.8 15.4 14.1
Apr-20 May-20 Jun-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Average Working place PM2.5 PM10 SO2 NOX (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Da , SPM, SO2 8 tted to the M ce at Bhopal ntrol Board/C nce in six mor Ambient Air Qua PM2.5 PM10 (µg, 23.0 45.0 26.0 43.0 30.0 46.0 20.0 42.0 24.0 41.0 28.0 43.0 28.0 44.0	ta on NOX) linistry and to Central oths. bility Mor Village S02 /m3 11.7 12.4 13.2 12.3 13.7 12.5 12.6	NOx Due to C 16.9 18.5 17.9 16.1 17.7 16.3 16.6	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0	(April'20 Khera PM10 (µg) Lockdow 48.8 46.3 44.0 44.7 40.2 41.2 38.7	2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2008. 2009. 20	nox 15.5 13.5 17.9 12.5 15.5 13.4 14.2	er'2020) PM2.5 onducted 24.4 22.3 29.0 25.7 27.5 22.8 24.5	Могафіу РМ10 (µ9/ 44.3 42.5 52.0 42.2 40.2 40.4 36.2	9.8 10.2 12.4 11.5 12.1 10.5 10.6	14.3 14.5 14.8 15.4 14.1 13.9
Apr-20 May-20 Jun-20 Jul-20 Aug-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Dar SPM, SO2 8 tted to the M ce at Bhopal atrol Board/Once in six more Solaj PM2.5 PM10 (μg) 23.0 45.0 26.0 43.0 30.0 46.0 20.0 42.0 24.0 44.0 28.0 43.0 28.0 44.0 26.0 48.0	ta on NOX) linistry and to Central oths. ality Mor Village SO2 /m3) 11.7 12.4 13.2 12.3 13.7 12.5 12.6 12.8	NOx Due to C 16.9 18.5 17.9 16.1 16.3 16.6 17.3	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0 20.4	(April'2) Khera PM10 (199) Lockdow 48.8 46.3 44.0 44.7 44.0 41.2 38.7 38.2	2008. 20	NOx ring not c 15.5 13.5 17.9 12.5 13.4 14.2 14.0	PM2.5 onducted 24.4 22.3 29.0 25.7 22.8 24.5 19.8	Moradiy: PM10 (μg/ 44.3 42.5 52.0 42.2 40.2 40.4 36.2 37.8	9.8 10.2 12.4 11.5 10.5 10.6 12.8	14.3 14.5 14.8 15.4 13.1 13.9 13.1
Apr-20 May-20 Jun-20 Jul-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOx (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Dar SPM, SO2 8 tted to the M ce at Bhopal atrol Board/Once in six more Solaj PM2.5 PM10 (Jug. 23.0 45.0 26.0 43.0 30.0 46.0 24.0 42.0 24.0 44.0 26.0 48.0 26.0 48.0 26.0 41.0	ta on NOX) linistry and to Central oths. 11.7	NOx Due to C 16.9 18.5 17.9 16.1 17.7 16.3 16.6 17.3 16.1	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0 20.4 29.8	(April'2) Кhera РМ10 (ид) Lockdow 48.8 46.3 44.0 44.7 40.2 38.7 38.2 40.6	2008. 2008. 2008. Village S02 m3) n, Monito 10.2 9.8 11.4 10.5 11.1 12.0 10.3 12.2	NOx ring not c 15.5 13.5 17.9 12.5 15.5 13.4 14.2 14.0 15.6	PM2.5 onducted 24.4 22.3 29.0 25.7 27.5 22.8 24.5 19.8 26.4	Moradiya (μg/ 44.3 42.5 52.0 42.2 40.4 36.2 37.8 39.5	9.8 10.2 12.4 11.5 12.1 10.5 10.6 12.8 11.2	14.3 14.5 14.8 15.4 14.1 13.9 13.1 15.6 13.9
Apr-20 May-20 Jun-20 Jul-20 Aug-20 Sep-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOX (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Dar SPM, SO2 8 tted to the M ce at Bhopal atrol Board/ (ace in six more solar) PM2.5 PM10 (pg. 23.0 45.0 26.0 43.0 28.0 44.0 26.0 48.0 26.0 41.0 23.0 45.0	ta on NOX) linistry and to Central oths. lity Mor village S02 /m3) 11.7 12.4 13.2 12.3 13.7 12.5 12.6 12.8 13.3 12.1	NOx Due to C 16.9 18.5 17.9 16.1 17.7 16.3 16.6 17.3 16.1 16.5	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0 20.4 29.8 22.9	(April'22 Khera PM10 (µg, Lockdow 48.8 46.3 44.0 44.7 40.2 41.2 38.7 38.2 40.6 40.8	2008. 20	ring not c 15.5 13.5 17.9 12.5 15.5 13.4 14.2 14.0 15.6	er'2020 PM2.5 onducted 24.4 22.3 29.0 25.7 27.5 22.8 24.5 19.8 26.4 19.0	Moradiy: PM10 (µg/ 44.3 42.5 52.0 42.2 40.2 40.4 36.2 37.8 39.5 38.3	9.8 10.2 12.4 11.5 10.5 10.6 12.8	14.3 14.5 14.8 15.4 13.1 13.9 13.1
Apr-20 May-20 Jun-20 Jul-20 Aug-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOX (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Dar Air Quarties of the More at Bhopal atrol Board/Once in six more solar pm2.5 pm10 (pp. 23.0 45.0 26.0 43.0 28.0 44.0 26.0 48.0 26.0 45.0 23.0 45.0 m all the sour	ta on NOX) linistry and to Central oths. 11.7	NOx Due to C 16.9 18.5 17.9 16.1 17.7 16.3 16.6 17.3 16.1 16.5	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0 20.4 29.8	(April'22 Khera PM10 (µg, Lockdow 48.8 46.3 44.0 44.7 40.2 41.2 38.7 38.2 40.6 40.8	2008. 20	ring not c 15.5 13.5 17.9 12.5 15.5 13.4 14.2 14.0 15.6	er'2020 PM2.5 onducted 24.4 22.3 29.0 25.7 27.5 22.8 24.5 19.8 26.4 19.0	Moradiy: PM10 (µg/ 44.3 42.5 52.0 42.2 40.2 40.4 36.2 37.8 39.5 38.3	9.8 10.2 12.4 11.5 12.1 10.5 10.6 12.8 11.2	14.3 14.5 14.8 15.4 14.1 13.9 13.1 15.6 13.9
Apr-20 4ay-20 Jun-20 Jul-20 Aug-20 Sep-20	State Pollution Control ambient air quality (RSPM should be regularly submi including its Regional Offi the State Pollution Cor Pollution Control Board or Pollution Control Board or Working place Working place PM2.5 PM10 SO2 NOX (µg/m3) Note: Mines is Not in operation. From 1 is Submitted to DGMS	Board. Dar Air Quarter Solaj PM2.5 PM10 (199. 23.0 45.0 26.0 43.0 26.0 44.0 26.0 44.0 26.0 44.0 26.0 45.0 26.0 26.0 26.0 45.0 26.0 26.0 26.0 26.0 26.0 26.0 26.0 26	ta on NOX) linistry and to Central oths. lity Mor Village SO2 /m3) 11.7 12.4 13.2 12.3 13.7 12.5 12.6 12.8 13.3 12.1 rces ving	NOx Due to C 16.9 18.5 17.9 16.1 17.7 16.3 16.6 17.3 16.1 16.5	Results PM2.5 COVID-19 26.3 25.5 25.1 24.2 27.0 21.2 23.0 20.4 29.8 22.9	(April'22 Khera PM10 (µg, Lockdow 48.8 46.3 44.0 44.7 40.2 41.2 38.7 38.2 40.6 40.8	2008. 20	ring not c 15.5 13.5 17.9 12.5 15.5 13.4 14.2 14.0 15.6	er'2020 PM2.5 onducted 24.4 22.3 29.0 25.7 27.5 22.8 24.5 19.8 26.4 19.0	Moradiy: PM10 (µg/ 44.3 42.5 52.0 42.2 40.2 40.4 36.2 37.8 39.5 38.3	9.8 10.2 12.4 11.5 12.1 10.5 10.6 12.8 11.2	14.3 14.5 14.8 15.4 14.1 13.9 13.1 15.6 13.9

Note: Mines is Not in operation. From-1 is Submitted to DGMS

unloading and at transfer points should be

provided and properly maintained.

а



- Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs/muffs.
- No Mining Activities in mining lease area.
- All the workers working in high noise areas are provided with ear plug/ear muffs. Ambient noise monitoring as well as HEMM noise monitoring is being done on monthly basis. HEMM noise monitoring as well as ambient noise monitoring reports are enclosed as under (a) & (b).

(a)	Noise Level of HEMM - (April'2020 to September'2020)							
	Machine							
		Noise Le	vels (dB)	Noise Le	Noise Levels (dB)			
	Month	At 5m. distance	At 10m. distance	At 5m. distance	At 10m. distance			
		Leq	Leq	Leq	Leq			
	Apr-20	Due to	COVID-19 Lockdown	n, Monitoring not conducted				
	May-20	NR	NR	NR	NR			
	Jun-20	NR	NR	NR	NR			
	Jul-20	NR	NR	NR	NR			
	Aug-20	NR	NR	NR	NR			
	Sep-20	NR	NR	NR	NR			

Ambient Noise Level Monitoring - (April'2020 to September'2020)										
		Noise Levels in dB(A)								
Month	Near Face		Haul	road	Mine	s Office	Solaj Village			
	Leq (Day)	Leq (Night)	Leq (Day)	Leq (Night)	Leq (Dav)	Leq (Night)	Leq (Dav)	Leq (Night)		
Apr-20	(Day)	(inque)		Due to COVID-19 Lockdown, Monitoring not conducte						
May-20	Note: N	lines is Not	41	43	43	45	36	44		
Jun-20	in opera	tion. From-	42	45	38	44	38	43		
Jul-20	1 is Su	bmitted to	40	48	41	47	44	51		
Aug-20	D	GMS	37	40	43	46	40	44		
Sep-20			40	44	43	46	40	42		

- vi Industrial wastewater (workshop and waste water from the mine) should be properly collected, treated so as to confirm the standards prescribed under GSR 422(E) dated 19th May 1993 and 31st December installed before discharge of effluents from workshop.

 vii Personnel working in dusty areas should wear
- No industrial waste water generated as mines is not in operation.
- Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The same program may be extended to adjoining village also.
- All personnel working in mines are provided with PPE's i.e. dust masks, safety shoes, safety goggle, Safety Reflective Jacket & Helmet. Occupational health surveillance program of all the workers (Including Third party workmen) are being undertaken every year by our Occupational Health Centre through our AMH Ambuja Multi Hospital. There is no case of any contraction due to exposure of dust in any workmen.
- They are also provided adequate training and information on safety and health aspects.

A separate environmental management cell viii A well established Environmental Management Division with suitable qualified personnel should be set (EMD) with suitable qualified personnel is in place. Head of up under the control of a senior executive, environmental management cell directly report to the Unit who will report directly to the Head of the of the organization. EMD organization chart is organization. enclosed as under: Organization Chart Unit Head Dy. GM - Head Environment The funds earmarked for environmental ix capital and recurring expenditure protection measures should be kept in environmental protection measures are enclosed as under: separate account and should not be diverted for other purposes. Year-wise expenditure should be reported to Regional Office, Bhopal of the Ministry of Environment and Forests and to the Ministry. Ambuja Cement Foundation - Ambujanagar Expenditure incurred in Environment Management Plan Details for programme wise expenditure for the year April 2020 to Sept.. 2020 (Rs. In lakhs) A. Capital Invesstment for Environmental Monitoring: ** Funds *Funds **Particulars** from other ***People received ACF - ACL Funding to Monitoring Equipments 37.08 Donors / through Donor Environment Laboratory 10 Sr.No Programme Agencies Total Exp. Others (Monitoring Van, DG Sets etc. 10 GUJARAT - Kodinar 1 Water Resource Mangement & Drinking Water Projects Total (In Lacs INR) 57.08 a.Water Resource Devlopment 2.16 1.92 4.08 B. Recurring Expenditure for the period of April'2020 to September'2020 B . Drinking Water Programme 0.82 1.63 132.97 S.No Particulars Cost 2 Agriculture Development(Farm Forestry & Afforesation) 4.83 3.65 35,53 93.02 8.11 282.78 Green belt development & Dust suppression /6.54 4 Krishi Vigyan Kendra (KVK) - Agriculture 58.47 0.66 57.81 Manpower Cost * 2 25.42 5 Health & Sanitation 3.10 2.95 6.05 House Keeping 0.00 3 Education Programme 0.00 Other Env. Protection (Environmental Monitoring) 6 Women / Youth Developmen 1.62 1.62 7 Skill and Enterprunership Development Programm 40.04 Environment Awareness * 0.20 11.22 11.22 8 Integrated Community Development Programme Total (In Lacs INR) 26.78 44.03 9 Co. ordination & Administration Expenses 44.03 10 Capital Expenditur 0.00 * Expenditures are Common for All the Plants & Mines. 102.23 73.51 85.69 120.88 291.97 TOTAL 674.28 The Regional Office of this Ministry located at Full support and co-operation is being extended during х the visit of officers from Ministry of Environment & Bhopal shall monitor compliance of the stipulated conditions. The project authorities Forest, CPCB as well as GPCB should extend full co-operation to the officer(s) Project was monitored by Dr. A. Mehrotra (Regional of the Regional Office by furnishing requisite Office, Bhopal) during 12.10.10 to 13.10.10. data/information/monitoring reports. The project proponent shall submit six monthly Half yearly compliance status report is being regularly хi reports on the status of the implementation of submitted, our last submission was on 12.05.2020 vide letter the stipulated environmental safeguards to the no. ACL/EMD/F-16/2020/2115/87306. Ministry of Environment and Forests, its Regional Office, Bhopal, Central Pollution Control Board and State Pollution Control Board. A copy of the clearance letter will be marked to хii A copy of clearance letter has been marked to concern. the concerned panchayat/local NGO, if any, from whom suggestions/representation has been received while processing the proposal.

xiii	The project authorities should inform to the Regional Office located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work. State Pollution Control Board should display a copy of the clearance letter at the Regional	Required Information is already intimated to MoEF, Bhopal. • GPCB is the concern authority for the same.
	Office, District Industry Centre and Collector's/Tehsildar's Office for 30 days.	
xv	The project authorities should advertised at least in two local newspapers widely circulated, one of which shall be in vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhopal.	Advertisement was published in two local newspapers. Copy of advertisement has been submitted to MoEF on 25.12.2010 vide letter no. ACL/EMD/F16/2010/55925.
3	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Point noted. Agreed.
4	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (protection) Act, 1986.	Agreed. However, all the conditions mentioned in the EC are being complied with.
5	The above conditions will be enforced intr-alia, under the provisions of the Water (Prevention & Control of pollution) Act, 1974 the Air (prevention & control of pollution) Act, 1981 the Environment (protection) act, 1986 and the public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Court of fast Track Judge & Joint District Judge, Veraval in the subject matter.	 Agreed. All stipulations under Water (Prevention and Control of pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment Protection Act, 1986, Hazardous waste Rules, 1989 are being complied. Hazardous waste being stored at designated place and collection and transportation is being done by state pollution control board authorized recyclers for recycling purpose

Kindly Note that Mine is not in operation& form-I is submitted to DGMS Ambuja Cement ACL/MIN/2019/ 86008 Date: 31.07.2019 Registered Post To, The Director General of Mines Safety, Directorate - General of Mines Safety, Dhanbad, Jharkhand - 826 001. Sub: Notice of Abandonment of Mine. Dear Sir. We are enclosing herewith the Notice of Abandonment of Mine in "Form - I" at our Solaj Limestone & Marl Mine of M/s. Ambuja Cements Ltd. as required under the Regulation 6(2) of the Metalliferous Mines Regulations, 1961. Kindly acknowledge receipt of the same. Thanking you, Yours faithfully. For Solaj Limestone & Marl Mine, (S Ramarao) MCH (W &S) & Agent (Mines) Encl: a/a. Dy. Director General of Mines Safety, North-West Zone, Sector-6, Hiran Magri, Jhamarkotra Main Road, Bappa Rawai Nagar, Udaipur- 313 002 (Rajasthan) The Director of Mines Safety, 2) Directorate General of Mines Safety No. 30, Sahajanand Villa-II, Near ONGC Complex, New C.G. Road, Chandkheda, Ahmedabad - 382424, (Gujarat) 3) The District Magistrate, Collectorate Office. P.O. - Veraval, Dist: Gir Somnath, Gujarat. Ambuja Cements Limited PO: Ambujanagar - 362 715, Tal: Kodinar, Corporate Office : (Unit : Ambujanagar) Dist.: Gir Somnath (Gujarat) Phone: (02795) 221137, 232009, Elegant Business Park, MIDC Cross Road 'B' CIN No.: L26942GJ1981PLC004717 Fax: (02795) 220328, 232032 Off Andheri - Kurla Road, Andheri (E) Mumbai - 400 059, Phone : (022) 40867 www.ambujacement.com

FORM - I

(See Regulation 6(2) of MMR 1981)

Notice of Abandonment of Mines

From:

Ambuja Cements Limited, P.O. Ambujanagar – 362 715, Tal: Kodinar, Distt: Gir Somnath, Gujarat.

To:

- The Director General of Mines Safety, Directorate - General of Mines Safety, Dhanbad, Jharkhand – 826 001.
- Dy. Director General of Mines Safety, North-West Zone, Sector-6, Hiran Magri, Jhamarkotra Main Road, Bappa Rawal Nagar, Udaipur

 – 313 002 (Rajasthan)
- The Director of Mines Safety, Directorate General of Mines Safety No. 30, Sahajanand Villa-II, Near ONGC Complex, New C.G. Road, Chandkheda, Ahmedabad – 382424 (Gujarat)
- The District Magistrate, Collectorate Office, P.O. - Veraval, Dist: Gir Somnath, Gujarat.

Sir.

I have to furnish the following particulars in respect of abandonment of mines at Solaj Limestone & Marl Mine of M/s. Ambuja Cements Ltd., P.O. Ambujanagar, Taluka Kodinar, Dist. Gir Somnath, Gujarat.

In case of change of Name of Mine : Not Applicable.

(a) Situation of the Mine:

Village : Solaj
 Police Station : Sutrapada
 Taluka : Sutrapada
 District : Gir Somnath
 State : Gujarat

(b) In case of a new mine / particulars : Not applicable.

of situation of mine
